

SUBMITTAL IDENTIFICATION SHEET

To be completed by Contractor/CM

PROJECT NAME	
ADDRESS	
NUMBER	
OWNER	
ARCHITECT / ENGINEER	
SUBMITTED BY	
CONTRACTOR / CM SUBMITTAL NO.	CANNON DESIGN SUBMITTAL NO.
DRAWING / DETAIL REFERENCE	SPECIFICATION SECTION / PARAGRAPH
MANUFACTURER / SUPPLIER	ITEM / PRODUCT ID
REQUIRED DATE	PRIORITY
CRITICAL	☐

To be completed by Reviewer

CANNON DESIGN SUBMITTAL NUMBER
RECEIVED DATE

- ☐ **A. No Exceptions Taken**
No further review of submittal is required.
- ☐ **B. Make Corrections Noted**
Incorporate corrections in work;
resubmission is not required.
- ☐ **C. Revise and Resubmit**
Revise as noted, and resubmit for review.
- ☐ **D. Rejected**
Submittal is not in compliance with Contract Documents;
provide new submittal.
- ☐ **E. For Record / Information Only**
Submittal was reviewed for Record / Information
purposes only.
- ☐ **F. Not Required for Review**
Submittal is not required by Contract Documents
and has not been reviewed.

Review is for conformance with the design concept of this project and for general compliance with contract documents. Contractor is responsible for quantities, dimensions and compliance with contract documents and for information that pertains to fabrication processes, construction techniques and coordination of this work with all trades which will be affected thereby. This review is null and void if submittal deviates from contract documents and does not indicate or note deviations.

ITEM BEING SUBMITTED (check only one)

- ☐ Shop Drawings ☐ Certification / Qualifications ☐ Coordination Drawing
☐ Samples ☐ Record Documents ☐ Calculations
 (_____ copies) ☐ Product Data ☐ Schedules
☐ LEED Submittal ☐ O&M Manuals
☐ Other

ITEM BEING SUBMITTED FOR (check only one)

- ☐ Action ☐ Information Only ☐ Record

REMARKS OR DEVIATIONS

CONTRACTOR / CM CERTIFICATION
(SUBMITTALS NOT CERTIFIED WILL BE RETURNED WITHOUT REVIEW)



PARIC CORPORATION
SUBMITTAL STAMP

THIS SHOP DRAWING HAS BEEN REVIEWED BY PARIC CORPORATION

Subcontractor remains responsible for dimensions, quantities, coordination with other trades and compliance with contract documents.

Ry:

By:
Devin D. Gates

REVIEWED BY	DATE

A/E COMMENTS

- ☐
- See attached sheet(s) for additional comments

REVIEWED BY	DATE

Webster University Interdisciplinary Science Building

Generated on: March 06, 2017

Gross square feet: 49,000

Address: 8274 Big Bend
Webster Groves, Missouri 63119

Total product price: \$115,020 USD

Price should reflect final product cost excluding installation.

Product Summary

Performa® Symphony M Narrow Reveal	Quantity:26,700 SF	Price:\$ 1.20 USD/ SF	Extended Price:\$ 32,040 USD
Performa® Rx Symphony M Narrow Reveal	Quantity:1,200 SF	Price:\$ 1.20 USD/ SF	Extended Price:\$ 1,440 USD
Performa® Fine Fissured Trim	Quantity:1,400 SF	Price:\$ 0.40 USD/ SF	Extended Price:\$ 560 USD
Ecophon Gedina E/15 XL	Quantity:3,600 SF	Price:\$ 3.00 USD/ SF	Extended Price:\$ 10,800 USD
Performa® Rx Symphony M Trim	Quantity:1,200 SF	Price:\$ 1.20 USD/ SF	Extended Price:\$ 1,440 USD
9/16" Elite Narrow Stab Main Runner	Quantity:5,448 LF	Price:\$ 0.65 USD/ LF	Extended Price:\$ 3,541 USD
15/16" Classic Stab Main Runner	Quantity:360 LF	Price:\$ 0.50 USD/ LF	Extended Price:\$ 180 USD
15/16" Classic Stab Cross Tee	Quantity:0 LF	Price:\$ 720.00 USD/ LF	Extended Price:\$ 0 USD
9/16" Elite Narrow Stab Cross Tee	Quantity:10,896 LF	Price:\$ 0.65 USD/ LF	Extended Price:\$ 7,082 USD
9/16" Elite Narrow Stab Cross Tee	Quantity:5,448 LF	Price:\$ 0.65 USD/ LF	Extended Price:\$ 3,541 USD
15/16" Classic Stab Cross Tee	Quantity:360 LF	Price:\$ 0.50 USD/ LF	Extended Price:\$ 180 USD
15/16" Traditional Wall Angle	Quantity:9,600 LF	Price:\$ 0.36 USD/ LF	Extended Price:\$ 3,456 USD
9/16" Smoothline Bolt Slot Main Runner	Quantity:7,560 LF	Price:\$ 1.00 USD/ LF	Extended Price:\$ 7,560 USD
9/16" Smoothline Bolt Slot Cross Tee	Quantity:7,560 LF	Price:\$ 1.00 USD/ LF	Extended Price:\$ 7,560 USD
9/16" Smoothline Bolt Slot Cross Tee	Quantity:15,120 LF	Price:\$ 1.00 USD/ LF	Extended Price:\$ 15,120 USD
Performa® Symphony M Narrow Reveal	Quantity:17,100 SF	Price:\$ 1.20 USD/ SF	Extended Price:\$ 20,520 USD

Project Contribution Summary

LEED® V4 BDC New Construction

BDC MR Credit 2 Building Product Disclosure and Optimization - Environmental Product Declarations Option 1:	See product detail below
---	--------------------------


BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	Contributes [1]
---	-----------------

BDC MR Credit 4 Building Product Disclosure and Optimization - Material Ingredients Option 1:	See product detail below
---	--------------------------

BDC IEQ Credit 2 Low-Emitting Materials:	See product detail below
--	--------------------------

BDC IEQ Credit 7 Daylight:	See product detail below
----------------------------	--------------------------

A mineral fiber panel with a superior finish and exceptional durability Mineral core with reinforced mat face exceeds FGI Guidelines for acoustic performance in most healthcare applications. Certified for clean room design to ISO Class 4. Cleanable with most sanitizing chemicals and scrub-tested to 5000+ cycles. High light reflectance enhances conventional lighting, increasing employee performance by minimizing fatigue. VOC compliant with California Department of Public Health Std. Method V1.1, 2010. Third-party verified Environmental Product Declaration (EPD) available for this product.



Price*:	\$ 1.20 USD/SF
Quantity:	26,700 SF
Extended Price:	\$32,040 USD
Product category :	Ceilings
Product type :	Acoustic Ceiling Panel
Brand :	CertainTeed Ceilings Performa®
Substrate :	Mineral Fiber
Size :	24 x 48 x 3/4
Edge Detail :	Narrow Reveal Corner Bevel
MasterFormat Number :	09 51 00
Location of Manufacture:	Plymouth, WI 53073

Environmental Characteristics

Post-Consumer Recycled Content :	0.0%
Pre-Consumer Recycled Content :	62.0%
Rapidly Renewable Materials Content :	9.0%
Light Reflectance :	0.9
Acoustical Performance - Noise Reduction Coefficient :	0.7
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

Environmental Certifications

California Specifications Section 01350 :	Yes
ASTM E1477 (light reflectance) :	Yes
ISO 14025 Type III environmental declarations :	Yes
Multi-Attribute Assessment of Products: EPD product specific Type III EPD :	Yes
EPD Documentation :	Yes - Certificate Link

LEED® V4 BDC New Construction

BDC MR Credit 2 Building Product Disclosure and Optimization - Environmental Product Declarations Option 1:	1 product
BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$9,932
BDC MR Credit 4 Building Product Disclosure and Optimization - Material Ingredients Option 1:	1 product
BDC IEQ Credit 2 Low-Emitting Materials:	Product meets credit requirements
BDC IEQ Credit 7 Daylight:	Product may contribute to meeting credit requirements

Mineral fiber ceiling panel ideal for healthcare environments. Exceeds FGI Guidelines for cleanability and acoustic performance. Surface washability to +2500 wash cycles with sanitizing chemicals. Qualifies for 9 LEED categories. Suitable clean room component to ISO Class 4. Overtone® finish features extremely high light reflectance (LR 0.90). Perfect for Patient Rooms, Nurses Stations and Doctor's Offices.



]

Price*:	\$ 1.20 USD/SF
Quantity:	1,200 SF
Extended Price:	\$1,440 USD
Product category :	Ceilings
Product type :	Acoustic Ceiling Panel
Brand :	CertainTeed Ceilings Performa®
Substrate :	Mineral Fiber
Size :	24 x 24 x 3/4
Edge Detail :	Narrow Reveal
MasterFormat Number :	09 51 00
Location of Manufacture:	Plymouth, WI 53073

Environmental Characteristics

Post-Consumer Recycled Content :	0.0%
Pre-Consumer Recycled Content :	62.0%
Rapidly Renewable Materials Content :	9.0%
Light Reflectance :	0.9
Acoustical Performance - Noise Reduction Coefficient :	0.7
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes


Environmental Certifications

California Specifications Section 01350 :	Yes
ASTM E1477 (light reflectance) :	Yes
ISO 14025 Type III environmental declarations :	Yes
Multi-Attribute Assessment of Products: EPD product specific Type III EPD :	Yes
EPD Documentation :	Yes - Certificate Link
Health Product Declaration :	Yes - Certificate Link

LEED® V4 BDC New Construction

BDC MR Credit 2 Building Product Disclosure and Optimization - Environmental Product Declarations Option 1:	1 product
BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$446
BDC MR Credit 4 Building Product Disclosure and Optimization - Material Ingredients Option 1:	1 product
BDC IEQ Credit 2 Low-Emitting Materials:	Product meets credit requirements
BDC IEQ Credit 7 Daylight:	Product may contribute to meeting credit requirements

Mineral fiber ceiling panel with a 100% non-directional fissured pattern. High-humidity and sag resistant. No added formaldehyde – third-party verified Environmental Product Declaration (EPD) available for this product. Available in fire-rated (Protectone®) version



Price*:	\$ 0.40 USD/SF
Quantity:	1,400 SF
Extended Price:	\$560 USD
Product category :	Ceilings
Product type :	Acoustic Ceiling Panel
Brand :	CertainTeed Ceilings Performa®
Substrate :	Mineral Fiber
Size :	24 x 24 x 3/4
Edge Detail :	Trim
MasterFormat Number :	09 51 00
Location of Manufacture:	Lanse, MI 49946

Environmental Characteristics

Post-Consumer Recycled Content :	0.0%
Pre-Consumer Recycled Content :	33.0%
Recyclable :	100.0%
Recyclable :	Yes
Rapidly Renewable Materials Content :	7.0%
Light Reflectance :	0.84
Acoustical Performance - Noise Reduction Coefficient :	0.6
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

Environmental Certifications

California Specifications Section 01350 :	Yes
ASTM E1477 (light reflectance) :	Yes
ISO 14025 Type III environmental declarations :	Yes
Multi-Attribute Assessment of Products: EPD product specific Type III EPD :	Yes
EPD Documentation :	Yes - Certificate Link
Health Product Declaration :	Yes - Certificate Link

LEED® V4 BDC New Construction

BDC MR Credit 2 Building Product Disclosure and Optimization - Environmental Product Declarations Option 1:	1 product
BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$92
BDC MR Credit 4 Building Product Disclosure and Optimization - Material Ingredients Option 1:	1 product
BDC IEQ Credit 2 Low-Emitting Materials:	Product meets credit requirements
BDC IEQ Credit 7 Daylight:	Product may contribute to meeting credit requirements
FUTURE IMPACT: MR Credit 5 Construction and Demolition Waste Management:	Qualifies

A high-density fiberglass panel with outstanding acoustical performance and functionality. The low panel weight allows for less hangers. Comes in the Akutex T White finish offering exceptional light diffusion (



]

Price*:	\$ 3.00 USD/SF
Quantity:	3,600 SF
Extended Price:	\$10,800 USD
Product category :	Ceilings
Product type :	Acoustic Ceiling Panel
Brand :	CertainTeed Ceilings Ecophon
Substrate :	Fiberglass
Size :	24 x 72 x 9/16
Edge Detail :	Narrow Reveal
MasterFormat Number :	09 51 00
Location of Manufacture:	SWEDEN

Environmental Characteristics

Post-Consumer Recycled Content :	70.0%
Pre-Consumer Recycled Content :	1.0%
Rapidly Renewable Materials Content :	0.0%
Light Reflectance :	0.84
Acoustical Performance - Noise Reduction Coefficient :	0.9
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

Environmental Certifications

California Specifications Section 01350 :	Yes
ASTM E1477 (light reflectance) :	Yes
ISO 14025 Type III environmental declarations :	Yes
Multi-Attribute Assessment of Products: EPD product specific Type III EPD :	Yes
EPD Documentation :	Yes - Certificate Link

LEED® V4 BDC New Construction

BDC MR Credit 2 Building Product Disclosure and Optimization - Environmental Product Declarations Option 1:	1 product
BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$7,614
BDC IEQ Credit 2 Low-Emitting Materials:	Product meets credit requirements
BDC IEQ Credit 7 Daylight:	Product may contribute to meeting credit requirements

Mineral fiber ceiling panel ideal for healthcare environments. Exceeds FGI Guidelines for cleanability and acoustic performance. Surface washability to +2500 wash cycles with sanitizing chemicals. Qualifies for 9 LEED categories. Suitable clean room component to ISO Class 4. Overtone® finish features extremely high light reflectance (LR 0.90). Perfect for Patient Rooms, Nurses Stations and Doctor's Offices.



Price*:	\$ 1.20 USD/SF
Quantity:	1,200 SF
Extended Price:	\$1,440 USD
Product category :	Ceilings
Product type :	Acoustic Ceiling Panel
Brand :	CertainTeed Ceilings Performa®
Substrate :	Mineral Fiber
Size :	24 x 24 x 3/4
Edge Detail :	Trim
MasterFormat Number :	09 51 00
Location of Manufacture:	Plymouth, WI 53073

Environmental Characteristics

Post-Consumer Recycled Content :	0.0%
Pre-Consumer Recycled Content :	62.0%
Rapidly Renewable Materials Content :	9.0%
Light Reflectance :	0.9
Acoustical Performance - Noise Reduction Coefficient :	0.7
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

Environmental Certifications

California Specifications Section 01350 :	Yes
ASTM E1477 (light reflectance) :	Yes
ISO 14025 Type III environmental declarations :	Yes
Multi-Attribute Assessment of Products: EPD product specific Type III EPD :	Yes
EPD Documentation :	Yes - Certificate Link
Health Product Declaration :	Yes - Certificate Link

LEED® V4 BDC New Construction

BDC MR Credit 2 Building Product Disclosure and Optimization - Environmental Product Declarations Option 1:	1 product
BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$446
BDC MR Credit 4 Building Product Disclosure and Optimization - Material Ingredients Option 1:	1 product
BDC IEQ Credit 2 Low-Emitting Materials:	Product meets credit requirements
BDC IEQ Credit 7 Daylight:	Product may contribute to meeting credit requirements

•Narrow style 9/16" (15mm) face complements modern designs. •Double web design for lasting durability and strength. •Stepped-end detail provides a seamless appearance. •Cross tees utilize stab-in design to maximize strength and flexibility. •Intermediate duty load bearing capability. •Grid features G30 hot-dipped galvanized steel web construction for corrosion resistance. •Available in standard white and black



]	
Price*:	\$ 0.65 USD/LF
Quantity:	5,448 LF
Extended Price:	\$3,541 USD
Product category :	Ceiling Suspension Systems
Product type :	Grid
Brand :	CertainTeed Ceilings Suspension Systems
Substrate :	Steel
Size :	144 x 1-1/2 x 9/16
MasterFormat Number :	09 51 00
Location of Manufacture:	Ellenton, FL 34222

Environmental Characteristics

Post-Consumer Recycled Content :	35.0%
Pre-Consumer Recycled Content :	25.0%
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

LEED® V4 BDC New Construction

BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$1,682
---	---------

Popular 15/16" grid face for quick and easy installation•Double web design for lasting durability and strength.•Cross tees feature staked-on end tabs for optimal tightness and ease of installation.•Intermediate and heavy duty load-bearing capabilities.•Grid features G30 hot-dipped galvanized steel web construction for corrosion resistance.•Available in standard white and black.



]

Price*:	\$ 0.50 USD/LF
Quantity:	360 LF
Extended Price:	\$180 USD
Product category :	Ceiling Suspension Systems
Product type :	Grid
Brand :	CertainTeed Ceilings Suspension Systems
Substrate :	Steel
Size :	144 x 1-1/2 x 15/16
MasterFormat Number :	09 51 00
Location of Manufacture:	34222

Environmental Characteristics

Post-Consumer Recycled Content :	36.0%
Pre-Consumer Recycled Content :	25.0%
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

LEED® V4 BDC New Construction

BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$87
---	------

Popular 15/16" grid face for quick and easy installation•Double web design for lasting durability and strength.•Cross tees feature staked-on end tabs for optimal tightness and ease of installation.•Intermediate and heavy duty load-bearing capabilities.•Grid features G30 hot-dipped galvanized steel web construction for corrosion resistance.•Available in standard white and black.



]

Price*:	\$ 720.00 USD/LF
Quantity:	0 LF
Extended Price:	\$0 USD
Product category :	Ceiling Suspension Systems
Product type :	Grid
Brand :	CertainTeed Ceilings Suspension Systems
Substrate :	Steel
Size :	48 x 1-1/2 x 15/16
MasterFormat Number :	09 51 00
Location of Manufacture:	34222

Environmental Characteristics

Post-Consumer Recycled Content :	37.0%
Pre-Consumer Recycled Content :	24.0%
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

LEED® V4 BDC New Construction

BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	Contributes *
---	---------------

•Narrow style 9/16" (15mm) face complements modern designs. •Double web design for lasting durability and strength. •Stepped-end detail provides a seamless appearance. •Cross tees utilize stab-in design to maximize strength and flexibility. •Intermediate duty load bearing capability. •Grid features G30 hot-dipped galvanized steel web construction for corrosion resistance. •Available in standard white and black



]	
Price*:	\$ 0.65 USD/LF
Quantity:	10,896 LF
Extended Price:	\$7,082 USD
Product category :	Ceiling Suspension Systems
Product type :	Grid
Brand :	CertainTeed Ceilings Suspension Systems
Substrate :	Steel
Size :	48 x 1-1/2 x 9/16
MasterFormat Number :	09 51 00
Location of Manufacture:	Ellenton, FL 34222

Environmental Characteristics

Post-Consumer Recycled Content :	36.0%
Pre-Consumer Recycled Content :	24.0%
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

LEED® V4 BDC New Construction

BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$3,399
---	---------

•Narrow style 9/16" (15mm) face complements modern designs. •Double web design for lasting durability and strength. •Stepped-end detail provides a seamless appearance. •Cross tees utilize stab-in design to maximize strength and flexibility. •Intermediate duty load bearing capability. •Grid features G30 hot-dipped galvanized steel web construction for corrosion resistance. •Available in standard white and black



]	
Price*:	\$ 0.65 USD/LF
Quantity:	5,448 LF
Extended Price:	\$3,541 USD
Product category :	Ceiling Suspension Systems
Product type :	Grid
Brand :	CertainTeed Ceilings Suspension Systems
Substrate :	Steel
Size :	24 x 1-1/2 x 9/16
MasterFormat Number :	09 51 00
Location of Manufacture:	Ellenton, FL 34222

Environmental Characteristics

Post-Consumer Recycled Content :	36.0%
Pre-Consumer Recycled Content :	24.0%
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

LEED® V4 BDC New Construction

BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$1,699
---	---------

Popular 15/16" grid face for quick and easy installation•Double web design for lasting durability and strength.•Cross tees feature staked-on end tabs for optimal tightness and ease of installation.•Intermediate and heavy duty load-bearing capabilities.•Grid features G30 hot-dipped galvanized steel web construction for corrosion resistance.•Available in standard white and black.



]

Price*:	\$ 0.50 USD/LF
Quantity:	360 LF
Extended Price:	\$180 USD
Product category :	Ceiling Suspension Systems
Product type :	Grid
Brand :	CertainTeed Ceilings Suspension Systems
Substrate :	Steel
Size :	24 x 1-1/2 x 15/16
MasterFormat Number :	09 51 00
Location of Manufacture:	34222


Environmental Characteristics

Post-Consumer Recycled Content :	37.0%
Pre-Consumer Recycled Content :	24.0%
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

LEED® V4 BDC New Construction

BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$88
---	------

Variety of wall moldings for design and installation flexibility•Standard wall angles to complement popular interior designs.•Shadow moldings produce a reveal edge look at perimeter installations.•Aluminum wall molding available for high moisture applications.•WA15-15 and WA15-9 available in white, black, and color options.•WA15-15SAL available in white only.



]

Price*:	\$ 0.36 USD/LF
Quantity:	9,600 LF
Extended Price:	\$3,456 USD
Product category :	Ceiling Suspension Systems
Product type :	Wall Angle
Brand :	CertainTeed Ceilings Suspension Systems
Substrate :	Steel
Size :	120 x 15/16 x 15/16
MasterFormat Number :	09 51 00
Location of Manufacture:	Ellenton, FL 34222

Environmental Characteristics

Post-Consumer Recycled Content :	69.0%
Pre-Consumer Recycled Content :	19.0%
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

LEED® V4 BDC New Construction

BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$2,712
---	---------

•Narrow 9/16" (15mm) face features a 1/4" (6mm) center regress and is compatible with Narrow Reveal Edge panels. •Double web design for lasting durability & strength. •Mitered design on cross tee and main runner intersections produces a clean, continuous slot. •Grid features G30 hot-dipped galvanized steel web construction for corrosion resistance. •Available in standard white only.



]

Price*:	\$ 1.00 USD/LF
Quantity:	7,560 LF
Extended Price:	\$7,560 USD
Product category :	Ceiling Suspension Systems
Product type :	Grid
Brand :	CertainTeed Ceilings Suspension Systems
Substrate :	Steel
Size :	144 x 1-5/8 x 9/16
MasterFormat Number :	09 51 00
Location of Manufacture:	ITALY

Environmental Characteristics

Post-Consumer Recycled Content :	5.0%
Pre-Consumer Recycled Content :	30.0%
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

LEED® V4 BDC New Construction

BDC MR Credit 3 Building Product Disclosure and Optimization -	\$1,512
Sourcing of Raw Materials Option 2 Contribution:	

•Narrow 9/16" (15mm) face features a 1/4" (6mm) center regress and is compatible with Narrow Reveal Edge panels. •Double web design for lasting durability & strength. •Mitered design on cross tee and main runner intersections produces a clean, continuous slot. •Grid features G30 hot-dipped galvanized steel web construction for corrosion resistance. •Available in standard white only.



]

Price*:	\$ 1.00 USD/LF
Quantity:	7,560 LF
Extended Price:	\$7,560 USD
Product category :	Ceiling Suspension Systems
Product type :	Grid
Brand :	CertainTeed Ceilings Suspension Systems
Substrate :	Steel
Size :	24 x 1-5/8 x 9/16
MasterFormat Number :	09 51 00
Location of Manufacture:	ITALY

Environmental Characteristics

Post-Consumer Recycled Content :	5.0%
Pre-Consumer Recycled Content :	30.0%
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

LEED® V4 BDC New Construction

BDC MR Credit 3 Building Product Disclosure and Optimization -	\$1,512
Sourcing of Raw Materials Option 2 Contribution:	

•Narrow 9/16" (15mm) face features a 1/4" (6mm) center regress and is compatible with Narrow Reveal Edge panels. •Double web design for lasting durability & strength. •Mitered design on cross tee and main runner intersections produces a clean, continuous slot. •Grid features G30 hot-dipped galvanized steel web construction for corrosion resistance. •Available in standard white only.



]

Price*:	\$ 1.00 USD/LF
Quantity:	15,120 LF
Extended Price:	\$15,120 USD
Product category :	Ceiling Suspension Systems
Product type :	Grid
Brand :	CertainTeed Ceilings Suspension Systems
Substrate :	Steel
Size :	48 x 1-5/8 x 9/16
MasterFormat Number :	09 51 00
Location of Manufacture:	ITALY


Environmental Characteristics

Post-Consumer Recycled Content :	5.0%
Pre-Consumer Recycled Content :	30.0%
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

LEED® V4 BDC New Construction

BDC MR Credit 3 Building Product Disclosure and Optimization -	\$3,024
Sourcing of Raw Materials Option 2 Contribution:	

A mineral fiber panel with a superior finish and exceptional durability Mineral core with reinforced mat face exceeds FGI Guidelines for acoustic performance in most healthcare applications. Certified for clean room design to ISO Class 4. Cleanable with most sanitizing chemicals and scrub-tested to 5000+ cycles. High light reflectance enhances conventional lighting, increasing employee performance by minimizing fatigue. VOC compliant with California Department of Public Health Std. Method V1.1, 2010. Third-party verified Environmental Product Declaration (EPD) available for this product.



Price*:	\$ 1.20 USD/SF
Quantity:	17,100 SF
Extended Price:	\$20,520 USD
Product category :	Ceilings
Product type :	Acoustic Ceiling Panel
Brand :	CertainTeed Ceilings Performa®
Substrate :	Mineral Fiber
Size :	24 x 24 x 3/4
Edge Detail :	Narrow Reveal Corner Bevel
MasterFormat Number :	09 51 00
Location of Manufacture:	Plymouth, WI 53073

Environmental Characteristics

Post-Consumer Recycled Content :	0.0%
Pre-Consumer Recycled Content :	62.0%
Rapidly Renewable Materials Content :	9.0%
Light Reflectance :	0.9
Acoustical Performance - Noise Reduction Coefficient :	0.7
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

Environmental Certifications

California Specifications Section 01350 :	Yes
ASTM E1477 (light reflectance) :	Yes
ISO 14025 Type III environmental declarations :	Yes
Multi-Attribute Assessment of Products: EPD product specific Type III EPD :	Yes
EPD Documentation :	Yes - Certificate Link
Health Product Declaration :	Yes - Certificate Link

LEED® V4 BDC New Construction

BDC MR Credit 2 Building Product Disclosure and Optimization - Environmental Product Declarations Option 1:	1 product
BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$6,361
BDC MR Credit 4 Building Product Disclosure and Optimization - Material Ingredients Option 1:	1 product
BDC IEQ Credit 2 Low-Emitting Materials:	Product meets credit requirements
BDC IEQ Credit 7 Daylight:	Product may contribute to meeting credit requirements

LEED® V4 BDC New Construction

BDC MR Credit 2 Building Product Disclosure and Optimization - Environmental Product Declarations Option 1:	See product detail below
---	--------------------------

BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	Contributes [1]
---	-----------------

BDC MR Credit 4 Building Product Disclosure and Optimization - Material Ingredients Option 1:	See product detail below
---	--------------------------

BDC IEQ Credit 2 Low-Emitting Materials:	See product detail below
--	--------------------------

BDC IEQ Credit 7 Daylight:	See product detail below
----------------------------	--------------------------

Fiberglass ceiling panel with superior sound absorption (NRC 0.80-0.95). Exceeds FGI Guidelines for cleanability and acoustic performance. Surface washability to +1000 cycles with sanitizing chemicals. Suitable clean room component to ISO Class 4. Overtone® finish features extremely high light reflectance (LR 0.90). Perfect for enhances speech privacy and exceptional productivity in open plan environments. Third-party verified Environmental Product Declaration (EPD) available for this product.



]

Price*:	\$ 1.25 USD/SF
Quantity:	17,000 SF
Extended Price:	\$21,250 USD
Product category :	Ceilings
Product type :	Acoustic Ceiling Panel
Brand :	CertainTeed Ceilings Performa®
Substrate :	Fiberglass
Size :	24 x 24 x 1
Edge Detail :	Narrow Reveal
MasterFormat Number :	09 51 00
Location of Manufacture:	Plymouth, WI 53073

Environmental Characteristics

Post-Consumer Recycled Content :	30.0%
Pre-Consumer Recycled Content :	0.0%
Rapidly Renewable Materials Content :	0.0%
Light Reflectance :	0.9
Acoustical Performance - Noise Reduction Coefficient :	0.95
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes


Environmental Certifications

California Specifications Section 01350 :	Yes
ASTM E1477 (light reflectance) :	Yes
ISO 14025 Type III environmental declarations :	Yes
Multi-Attribute Assessment of Products: EPD product specific Type III EPD :	Yes
EPD Documentation :	Yes - Certificate Link
Health Product Declaration :	Yes - Certificate Link

LEED® V4 BDC New Construction

BDC MR Credit 2 Building Product Disclosure and Optimization - Environmental Product Declarations Option 1:	1 product
BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$6,375
BDC MR Credit 4 Building Product Disclosure and Optimization - Material Ingredients Option 1:	1 product
BDC IEQ Credit 2 Low-Emitting Materials:	Product meets credit requirements
BDC IEQ Credit 7 Daylight:	Product may contribute to meeting credit requirements

A mineral fiber panel with a superior finish and exceptional durability Mineral core with reinforced mat face exceeds FGI Guidelines for acoustic performance in most healthcare applications. Certified for clean room design to ISO Class 4. Cleanable with most sanitizing chemicals and scrub-tested to 5000+ cycles. High light reflectance enhances conventional lighting, increasing employee performance by minimizing fatigue. VOC compliant with California Department of Public Health Std. Method V1.1, 2010. Third-party verified Environmental Product Declaration (EPD) available for this product.



Price*:	\$ 1.20 USD/SF
Quantity:	26,700 SF
Extended Price:	\$32,040 USD
Product category :	Ceilings
Product type :	Acoustic Ceiling Panel
Brand :	CertainTeed Ceilings Performa®
Substrate :	Mineral Fiber
Size :	24 x 48 x 3/4
Edge Detail :	Narrow Reveal Corner Bevel
MasterFormat Number :	09 51 00
Location of Manufacture:	Plymouth, WI 53073

Environmental Characteristics

Post-Consumer Recycled Content :	0.0%
Pre-Consumer Recycled Content :	62.0%
Rapidly Renewable Materials Content :	9.0%
Light Reflectance :	0.9
Acoustical Performance - Noise Reduction Coefficient :	0.7
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

Environmental Certifications

California Specifications Section 01350 :	Yes
ASTM E1477 (light reflectance) :	Yes
ISO 14025 Type III environmental declarations :	Yes
Multi-Attribute Assessment of Products: EPD product specific Type III EPD :	Yes
EPD Documentation :	Yes - Certificate Link
Health Product Declaration :	Yes - Certificate Link

LEED® V4 BDC New Construction

BDC MR Credit 2 Building Product Disclosure and Optimization - Environmental Product Declarations Option 1:	1 product
BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$9,932
BDC MR Credit 4 Building Product Disclosure and Optimization - Material Ingredients Option 1:	1 product
BDC IEQ Credit 2 Low-Emitting Materials:	Product meets credit requirements
BDC IEQ Credit 7 Daylight:	Product may contribute to meeting credit requirements

Mineral fiber ceiling panel ideal for healthcare environments. Exceeds FGI Guidelines for cleanability and acoustic performance. Surface washability to +2500 wash cycles with sanitizing chemicals. Qualifies for 9 LEED categories. Suitable clean room component to ISO Class 4. Overtone® finish features extremely high light reflectance (LR 0.90). Perfect for Patient Rooms, Nurses Stations and Doctor's Offices.



]

Price*:	\$ 1.20 USD/SF
Quantity:	1,200 SF
Extended Price:	\$1,440 USD
Product category :	Ceilings
Product type :	Acoustic Ceiling Panel
Brand :	CertainTeed Ceilings Performa®
Substrate :	Mineral Fiber
Size :	24 x 24 x 3/4
Edge Detail :	Narrow Reveal
MasterFormat Number :	09 51 00
Location of Manufacture:	Plymouth, WI 53073

Environmental Characteristics

Post-Consumer Recycled Content :	0.0%
Pre-Consumer Recycled Content :	62.0%
Rapidly Renewable Materials Content :	9.0%
Light Reflectance :	0.9
Acoustical Performance - Noise Reduction Coefficient :	0.7
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes


Environmental Certifications

California Specifications Section 01350 :	Yes
ASTM E1477 (light reflectance) :	Yes
ISO 14025 Type III environmental declarations :	Yes
Multi-Attribute Assessment of Products: EPD product specific Type III EPD :	Yes
EPD Documentation :	Yes - Certificate Link
Health Product Declaration :	Yes - Certificate Link

LEED® V4 BDC New Construction

BDC MR Credit 2 Building Product Disclosure and Optimization - Environmental Product Declarations Option 1:	1 product
BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$446
BDC MR Credit 4 Building Product Disclosure and Optimization - Material Ingredients Option 1:	1 product
BDC IEQ Credit 2 Low-Emitting Materials:	Product meets credit requirements
BDC IEQ Credit 7 Daylight:	Product may contribute to meeting credit requirements

Mineral fiber ceiling panel with a 100% non-directional fissured pattern. High-humidity and sag resistant. No added formaldehyde – third-party verified Environmental Product Declaration (EPD) available for this product. Available in fire-rated (Protectone®) version



Price*:	\$ 0.40 USD/SF
Quantity:	1,400 SF
Extended Price:	\$560 USD
Product category :	Ceilings
Product type :	Acoustic Ceiling Panel
Brand :	CertainTeed Ceilings Performa®
Substrate :	Mineral Fiber
Size :	24 x 24 x 3/4
Edge Detail :	Trim
MasterFormat Number :	09 51 00
Location of Manufacture:	Lanse, MI 49946

Environmental Characteristics

Post-Consumer Recycled Content :	0.0%
Pre-Consumer Recycled Content :	33.0%
Recyclable :	100.0%
Recyclable :	Yes
Rapidly Renewable Materials Content :	7.0%
Light Reflectance :	0.84
Acoustical Performance - Noise Reduction Coefficient :	0.6
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

Environmental Certifications

California Specifications Section 01350 :	Yes
ASTM E1477 (light reflectance) :	Yes
ISO 14025 Type III environmental declarations :	Yes
Multi-Attribute Assessment of Products: EPD product specific Type III EPD :	Yes
EPD Documentation :	Yes - Certificate Link
Health Product Declaration :	Yes - Certificate Link

LEED® V4 BDC New Construction

BDC MR Credit 2 Building Product Disclosure and Optimization - Environmental Product Declarations Option 1:	1 product
BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$92
BDC MR Credit 4 Building Product Disclosure and Optimization - Material Ingredients Option 1:	1 product
BDC IEQ Credit 2 Low-Emitting Materials:	Product meets credit requirements
BDC IEQ Credit 7 Daylight:	Product may contribute to meeting credit requirements
FUTURE IMPACT: MR Credit 5 Construction and Demolition Waste Management:	Qualifies

A high-density fiberglass panel with outstanding acoustical performance and functionality. The low panel weight allows for less hangers. Comes in the Akutex T White finish offering exceptional light diffusion (



]

Price*:	\$ 3.00 USD/SF
Quantity:	3,600 SF
Extended Price:	\$10,800 USD
Product category :	Ceilings
Product type :	Acoustic Ceiling Panel
Brand :	CertainTeed Ceilings Ecophon
Substrate :	Fiberglass
Size :	24 x 72 x 9/16
Edge Detail :	Narrow Reveal
MasterFormat Number :	09 51 00
Location of Manufacture:	SWEDEN

Environmental Characteristics

Post-Consumer Recycled Content :	70.0%
Pre-Consumer Recycled Content :	1.0%
Rapidly Renewable Materials Content :	0.0%
Light Reflectance :	0.84
Acoustical Performance - Noise Reduction Coefficient :	0.9
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

Environmental Certifications

California Specifications Section 01350 :	Yes
ASTM E1477 (light reflectance) :	Yes
ISO 14025 Type III environmental declarations :	Yes
Multi-Attribute Assessment of Products: EPD product specific Type III EPD :	Yes
EPD Documentation :	Yes - Certificate Link

LEED® V4 BDC New Construction

BDC MR Credit 2 Building Product Disclosure and Optimization - Environmental Product Declarations Option 1:	1 product
BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$7,614
BDC IEQ Credit 2 Low-Emitting Materials:	Product meets credit requirements
BDC IEQ Credit 7 Daylight:	Product may contribute to meeting credit requirements

Mineral fiber ceiling panel ideal for healthcare environments. Exceeds FGI Guidelines for cleanability and acoustic performance. Surface washability to +2500 wash cycles with sanitizing chemicals. Qualifies for 9 LEED categories. Suitable clean room component to ISO Class 4. Overtone® finish features extremely high light reflectance (LR 0.90). Perfect for Patient Rooms, Nurses Stations and Doctor's Offices.



]

Price*:	\$ 1.20 USD/SF
Quantity:	1,200 SF
Extended Price:	\$1,440 USD
Product category :	Ceilings
Product type :	Acoustic Ceiling Panel
Brand :	CertainTeed Ceilings Performa®
Substrate :	Mineral Fiber
Size :	24 x 24 x 3/4
Edge Detail :	Trim
MasterFormat Number :	09 51 00
Location of Manufacture:	Plymouth, WI 53073

Environmental Characteristics

Post-Consumer Recycled Content :	0.0%
Pre-Consumer Recycled Content :	62.0%
Rapidly Renewable Materials Content :	9.0%
Light Reflectance :	0.9
Acoustical Performance - Noise Reduction Coefficient :	0.7
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

Environmental Certifications

California Specifications Section 01350 :	Yes
ASTM E1477 (light reflectance) :	Yes
ISO 14025 Type III environmental declarations :	Yes
Multi-Attribute Assessment of Products: EPD product specific Type III EPD :	Yes
EPD Documentation :	Yes - Certificate Link
Health Product Declaration :	Yes - Certificate Link

LEED® V4 BDC New Construction

BDC MR Credit 2 Building Product Disclosure and Optimization - Environmental Product Declarations Option 1:	1 product
BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$446
BDC MR Credit 4 Building Product Disclosure and Optimization - Material Ingredients Option 1:	1 product
BDC IEQ Credit 2 Low-Emitting Materials:	Product meets credit requirements
BDC IEQ Credit 7 Daylight:	Product may contribute to meeting credit requirements

•Narrow style 9/16" (15mm) face complements modern designs. •Double web design for lasting durability and strength. •Stepped-end detail provides a seamless appearance. •Cross tees utilize stab-in design to maximize strength and flexibility. •Intermediate duty load bearing capability. •Grid features G30 hot-dipped galvanized steel web construction for corrosion resistance. •Available in standard white and black



]	
Price*:	\$ 0.65 USD/LF
Quantity:	5,448 LF
Extended Price:	\$3,541 USD
Product category :	Ceiling Suspension Systems
Product type :	Grid
Brand :	CertainTeed Ceilings Suspension Systems
Substrate :	Steel
Size :	144 x 1-1/2 x 9/16
MasterFormat Number :	09 51 00
Location of Manufacture:	Ellenton, FL 34222

Environmental Characteristics

Post-Consumer Recycled Content :	35.0%
Pre-Consumer Recycled Content :	25.0%
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

LEED® V4 BDC New Construction

BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$1,682
---	---------

Popular 15/16" grid face for quick and easy installation•Double web design for lasting durability and strength.•Cross tees feature staked-on end tabs for optimal tightness and ease of installation.•Intermediate and heavy duty load-bearing capabilities.•Grid features G30 hot-dipped galvanized steel web construction for corrosion resistance.•Available in standard white and black.



]	
Price*:	\$ 0.50 USD/LF
Quantity:	360 LF
Extended Price:	\$180 USD
Product category :	Ceiling Suspension Systems
Product type :	Grid
Brand :	CertainTeed Ceilings Suspension Systems
Substrate :	Steel
Size :	144 x 1-1/2 x 15/16
MasterFormat Number :	09 51 00
Location of Manufacture:	34222

Environmental Characteristics

Post-Consumer Recycled Content :	36.0%
Pre-Consumer Recycled Content :	25.0%
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

LEED® V4 BDC New Construction

BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$87
---	------

Popular 15/16" grid face for quick and easy installation•Double web design for lasting durability and strength.•Cross tees feature staked-on end tabs for optimal tightness and ease of installation.•Intermediate and heavy duty load-bearing capabilities.•Grid features G30 hot-dipped galvanized steel web construction for corrosion resistance.•Available in standard white and black.



]

Price*:	\$ 720.00 USD/LF
Quantity:	0 LF
Extended Price:	\$0 USD
Product category :	Ceiling Suspension Systems
Product type :	Grid
Brand :	CertainTeed Ceilings Suspension Systems
Substrate :	Steel
Size :	48 x 1-1/2 x 15/16
MasterFormat Number :	09 51 00
Location of Manufacture:	34222

Environmental Characteristics

Post-Consumer Recycled Content :	37.0%
Pre-Consumer Recycled Content :	24.0%
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

LEED® V4 BDC New Construction

BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	Contributes *
---	---------------

•Narrow style 9/16" (15mm) face complements modern designs. •Double web design for lasting durability and strength. •Stepped-end detail provides a seamless appearance. •Cross tees utilize stab-in design to maximize strength and flexibility. •Intermediate duty load bearing capability. •Grid features G30 hot-dipped galvanized steel web construction for corrosion resistance. •Available in standard white and black



]	
Price*:	\$ 0.65 USD/LF
Quantity:	10,896 LF
Extended Price:	\$7,082 USD
Product category :	Ceiling Suspension Systems
Product type :	Grid
Brand :	CertainTeed Ceilings Suspension Systems
Substrate :	Steel
Size :	48 x 1-1/2 x 9/16
MasterFormat Number :	09 51 00
Location of Manufacture:	Ellenton, FL 34222

Environmental Characteristics

Post-Consumer Recycled Content :	36.0%
Pre-Consumer Recycled Content :	24.0%
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

LEED® V4 BDC New Construction

BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$3,399
---	---------

•Narrow style 9/16" (15mm) face complements modern designs. •Double web design for lasting durability and strength. •Stepped-end detail provides a seamless appearance. •Cross tees utilize stab-in design to maximize strength and flexibility. •Intermediate duty load bearing capability. •Grid features G30 hot-dipped galvanized steel web construction for corrosion resistance. •Available in standard white and black



]	
Price*:	\$ 0.65 USD/LF
Quantity:	5,448 LF
Extended Price:	\$3,541 USD
Product category :	Ceiling Suspension Systems
Product type :	Grid
Brand :	CertainTeed Ceilings Suspension Systems
Substrate :	Steel
Size :	24 x 1-1/2 x 9/16
MasterFormat Number :	09 51 00
Location of Manufacture:	Ellenton, FL 34222

Environmental Characteristics

Post-Consumer Recycled Content :	36.0%
Pre-Consumer Recycled Content :	24.0%
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

LEED® V4 BDC New Construction

BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$1,699
---	---------

Popular 15/16" grid face for quick and easy installation•Double web design for lasting durability and strength.•Cross tees feature staked-on end tabs for optimal tightness and ease of installation.•Intermediate and heavy duty load-bearing capabilities.•Grid features G30 hot-dipped galvanized steel web construction for corrosion resistance.•Available in standard white and black.



]

Price*:	\$ 0.50 USD/LF
Quantity:	360 LF
Extended Price:	\$180 USD
Product category :	Ceiling Suspension Systems
Product type :	Grid
Brand :	CertainTeed Ceilings Suspension Systems
Substrate :	Steel
Size :	24 x 1-1/2 x 15/16
MasterFormat Number :	09 51 00
Location of Manufacture:	34222


Environmental Characteristics

Post-Consumer Recycled Content :	37.0%
Pre-Consumer Recycled Content :	24.0%
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

LEED® V4 BDC New Construction

BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$88
---	------

Variety of wall moldings for design and installation flexibility•Standard wall angles to complement popular interior designs. •Shadow moldings produce a reveal edge look at perimeter installations. •Aluminum wall molding available for high moisture applications. •WA15-15 and WA15-9 available in white, black, and color options. •WA15-15SAL available in white only.



]

Price*:	\$ 0.36 USD/LF
Quantity:	9,600 LF
Extended Price:	\$3,456 USD
Product category :	Ceiling Suspension Systems
Product type :	Wall Angle
Brand :	CertainTeed Ceilings Suspension Systems
Substrate :	Steel
Size :	120 x 15/16 x 15/16
MasterFormat Number :	09 51 00
Location of Manufacture:	Ellenton, FL 34222

Environmental Characteristics

Post-Consumer Recycled Content :	69.0%
Pre-Consumer Recycled Content :	19.0%
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

LEED® V4 BDC New Construction

BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$2,712
---	---------

•Narrow 9/16" (15mm) face features a 1/4" (6mm) center regress and is compatible with Narrow Reveal Edge panels. •Double web design for lasting durability & strength. •Mitered design on cross tee and main runner intersections produces a clean, continuous slot. •Grid features G30 hot-dipped galvanized steel web construction for corrosion resistance. •Available in standard white only.



]	
Price*:	\$ 1.00 USD/LF
Quantity:	7,560 LF
Extended Price:	\$7,560 USD
Product category :	Ceiling Suspension Systems
Product type :	Grid
Brand :	CertainTeed Ceilings Suspension Systems
Substrate :	Steel
Size :	144 x 1-5/8 x 9/16
MasterFormat Number :	09 51 00
Location of Manufacture:	ITALY

Environmental Characteristics

Post-Consumer Recycled Content :	5.0%
Pre-Consumer Recycled Content :	30.0%
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

LEED® V4 BDC New Construction

BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$1,512
---	---------

•Narrow 9/16" (15mm) face features a 1/4" (6mm) center regress and is compatible with Narrow Reveal Edge panels. •Double web design for lasting durability & strength. •Mitered design on cross tee and main runner intersections produces a clean, continuous slot. •Grid features G30 hot-dipped galvanized steel web construction for corrosion resistance. •Available in standard white only.



]	
Price*:	\$ 1.00 USD/LF
Quantity:	7,560 LF
Extended Price:	\$7,560 USD
Product category :	Ceiling Suspension Systems
Product type :	Grid
Brand :	CertainTeed Ceilings Suspension Systems
Substrate :	Steel
Size :	24 x 1-5/8 x 9/16
MasterFormat Number :	09 51 00
Location of Manufacture:	ITALY

Environmental Characteristics

Post-Consumer Recycled Content :	5.0%
Pre-Consumer Recycled Content :	30.0%
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

LEED® V4 BDC New Construction

BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$1,512
---	---------

•Narrow 9/16" (15mm) face features a 1/4" (6mm) center regress and is compatible with Narrow Reveal Edge panels. •Double web design for lasting durability & strength. •Mitered design on cross tee and main runner intersections produces a clean, continuous slot. •Grid features G30 hot-dipped galvanized steel web construction for corrosion resistance. •Available in standard white only.



]

Price*:	\$ 1.00 USD/LF
Quantity:	15,120 LF
Extended Price:	\$15,120 USD
Product category :	Ceiling Suspension Systems
Product type :	Grid
Brand :	CertainTeed Ceilings Suspension Systems
Substrate :	Steel
Size :	48 x 1-5/8 x 9/16
MasterFormat Number :	09 51 00
Location of Manufacture:	ITALY

Environmental Characteristics

Post-Consumer Recycled Content :	5.0%
Pre-Consumer Recycled Content :	30.0%
Product is free from urea-formaldehyde resins :	Yes
Product is free from lead :	Yes
Product is free from chlorine compounds :	Yes
Product is free from mercury :	Yes
Product is free from cadmium :	Yes
Product is free from PBDEs :	Yes
Product is free from Phthalates :	Yes
Product is free from PFOAs (used to manufacture Teflon, Stainmaster® or equivalent) :	Yes
Product is free from PTFE (Teflon®) :	Yes
Product is free from natural rubber products :	Yes

LEED® V4 BDC New Construction

BDC MR Credit 3 Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2 Contribution:	\$3,024
---	---------

SUBMITTAL IDENTIFICATION SHEET

To be completed by Contractor/CM

PROJECT NAME	
ADDRESS	
NUMBER	
OWNER	
ARCHITECT / ENGINEER	
SUBMITTED BY	
CONTRACTOR / CM SUBMITTAL NO.	CANNON DESIGN SUBMITTAL NO.
DRAWING / DETAIL REFERENCE	SPECIFICATION SECTION / PARAGRAPH
MANUFACTURER / SUPPLIER	ITEM / PRODUCT ID
REQUIRED DATE	PRIORITY
CRITICAL	☐

To be completed by Reviewer

CANNON DESIGN SUBMITTAL NUMBER
RECEIVED DATE

- ☐ **A. No Exceptions Taken**
No further review of submittal is required.
- ☐ **B. Make Corrections Noted**
Incorporate corrections in work;
resubmission is not required.
- ☐ **C. Revise and Resubmit**
Revise as noted, and resubmit for review.
- ☐ **D. Rejected**
Submittal is not in compliance with Contract Documents;
provide new submittal.
- ☐ **E. For Record / Information Only**
Submittal was reviewed for Record / Information
purposes only.
- ☐ **F. Not Required for Review**
Submittal is not required by Contract Documents
and has not been reviewed.

Review is for conformance with the design concept of this project and for general compliance with contract documents. Contractor is responsible for quantities, dimensions and compliance with contract documents and for information that pertains to fabrication processes, construction techniques and coordination of this work with all trades which will be affected thereby. This review is null and void if submittal deviates from contract documents and does not indicate or note deviations.

ITEM BEING SUBMITTED (check only one)

- ☐ Shop Drawings ☐ Certification / Qualifications ☐ Coordination Drawing
☐ Samples ☐ Record Documents ☐ Calculations
 (_____ copies) ☐ Product Data ☐ Schedules
☐ LEED Submittal ☐ O&M Manuals
☐ Other _____

ITEM BEING SUBMITTED FOR (check only one)

- ☐ Action ☐ Information Only ☐ Record

REMARKS OR DEVIATIONS

CONTRACTOR / CM CERTIFICATION
(SUBMITTALS NOT CERTIFIED WILL BE RETURNED WITHOUT REVIEW)



PARIC CORPORATION
SUBMITTAL STAMP

THIS SHOP DRAWING HAS BEEN REVIEWED BY PARIC CORPORATION

Subcontractor remains responsible for dimensions, quantities, coordination with other trades and compliance with contract documents.

Ry:

By:
Devin D. Gates

REVIEWED BY	DATE

A/E COMMENTS

- ☐
- See attached sheet(s) for additional comments

REVIEWED BY	DATE



77 Westport Plaza
Suite 250
St. Louis, MO 63146

TRANSMITTAL

No. 15051-0380

Paric Corporation

PROJECT: 15051-Webster University Interdisciplinary Science Building

DATE: 12/06/2016

TO: Cannon Design
1100 Clark Ave
St Louis MO 63102

Fax;
314-241-2203

RE: Acoustical Panel Ceiling Product Data

ATTN: Kelvin Patel

JOB: 15051

WE ARE SENDING:	SUBMITTED FOR:	ACTION TAKEN:
☐ Shop Drawings	☒ Approval	☐ Approved as Submitted
☐ Letter	☐ Your Use	☐ Approved as Noted
☐ Prints	☐ As Requested	☐ Returned After Loan
☐ Change Order	☐ Review and Comment	☐ Resubmit
☐ Plans		☐ Submit
☐ Samples	SENT VIA:	☐ Returned
☐ Specifications	☐ Attached	☐ Returned for Corrections
☒ Other: Product Data	☐ Separate Cover Via:	☐ Due Date:

Item	Package	Code	Rev.	Copies	Date	Description	Status
Submittal		095113-006	1		12/06/2016	Acoustical Panel Ceiling Product Data	Submitted

NOTES:

CC:

Signed: _____
Devin Gates

Webster University Interdisciplinary Science Building

Generated on:	September 22, 2016
Gross square feet:	49,000
Address:	8274 Big Bend Webster Groves, Missouri 63119
Total product price:	\$115,750 USD

Price should reflect final product cost excluding installation.

Product Summary

Performa® VOC Compliant Symphony F Narrow Reveal	Quantity:17,000 SF	Price:\$ 1.25 USD/ SF	Extended Price:\$ 21,250 USD
Performa® Symphony M Narrow Reveal	Quantity:26,700 SF	Price:\$ 1.20 USD/ SF	Extended Price:\$ 32,040 USD
Performa® Rx Symphony M Narrow Reveal	Quantity:1,200 SF	Price:\$ 1.20 USD/ SF	Extended Price:\$ 1,440 USD
Performa® Fine Fissured Trim	Quantity:1,400 SF	Price:\$ 0.40 USD/ SF	Extended Price:\$ 560 USD
Ecophon Gedina E/15 XL	Quantity:3,600 SF	Price:\$ 3.00 USD/ SF	Extended Price:\$ 10,800 USD
Performa® Rx Symphony M Trim	Quantity:1,200 SF	Price:\$ 1.20 USD/ SF	Extended Price:\$ 1,440 USD
9/16" Elite Narrow Stab Main Runner	Quantity:5,448 LF	Price:\$ 0.65 USD/ LF	Extended Price:\$ 3,541 USD
15/16" Classic Stab Main Runner	Quantity:360 LF	Price:\$ 0.50 USD/ LF	Extended Price:\$ 180 USD
15/16" Classic Stab Cross Tee	Quantity:0 LF	Price:\$ 720.00 USD/ LF	Extended Price:\$ 0 USD
9/16" Elite Narrow Stab Cross Tee	Quantity:10,896 LF	Price:\$ 0.65 USD/ LF	Extended Price:\$ 7,082 USD
9/16" Elite Narrow Stab Cross Tee	Quantity:5,448 LF	Price:\$ 0.65 USD/ LF	Extended Price:\$ 3,541 USD
15/16" Classic Stab Cross Tee	Quantity:360 LF	Price:\$ 0.50 USD/ LF	Extended Price:\$ 180 USD
15/16" Traditional Wall Angle	Quantity:9,600 LF	Price:\$ 0.36 USD/ LF	Extended Price:\$ 3,456 USD
9/16" Smoothline Bolt Slot Main Runner	Quantity:7,560 LF	Price:\$ 1.00 USD/ LF	Extended Price:\$ 7,560 USD
9/16" Smoothline Bolt Slot Cross Tee	Quantity:7,560 LF	Price:\$ 1.00 USD/ LF	Extended Price:\$ 7,560 USD
9/16" Smoothline Bolt Slot Cross Tee	Quantity:15,120 LF	Price:\$ 1.00 USD/ LF	Extended Price:\$ 15,120 USD

Project Contribution Summary

