





Locks & File Frame for wood furniture & cabinets



Welcome to CompX Timberline

What
are
we all
about?



- **Locks for Wood Furniture and Cabinets**

We can lock desks, credenzas, files, store fixtures, lockers, and cabinets of all types.

- **File Frame System for Hanging Files**

Completely engineered, attractive system which maximizes filing capabilities.

- **Made in the USA**

Manufactured and assembled in Grayslake, IL.

- **High Quality & Great Service**

All locks are made from the finest materials ... Our customer service is the best!

- **Next Day Shipment**

Most items ship within one business day.

- **No Minimums**

Whether you need 1 lock or 10,000, we want to be your lock supplier!



Want Samples?
Need Help?
Don't See What You Need?

Call Us Today
1-800-LOCKBAR
or Email Us at
timberlineorders@compX.com



LOCKING SYSTEMS FOR WOOD FURNITURE




Front Gang Locks... Page 6



Side Gang Locks... Page 10




Central Locks,
Lateral File Locks and
Anti-Tip Interlock... Page 12



Deadbolt Locks
and Cam Locks... Page 18



Glass Door Locks... Page 26



Accessories
and Strike Plates... Page 28



StealthLock®... Page 30



File Frame System... Page 33

Lock Finishes:



Polished
Nickel
LP-100



Old
English
LP-200



Black
LP-300



Statuary
Bronze
LP-400



Polished
Brass
LP-500



Satin
Nickel
LP-700

Lock Features:

- Small Diameter
- High Quality/Long Life
- 5 Disk Tumbler Lock Plug
- Solid Brass Keys
- Numbered on Face & Keys
- Over 500 Changes
- Master-Keyed
- Removable Lock Plug



TIMBERLINE REMOVABLE LOCK PLUG SYSTEM

Complete Keying Versatility


- In Plant...furniture can be keyed easily to the customer's requirements at any time.
- In Field...key numbers can be readily changed by your customer.

Ease of Finishing


- Furniture may be finished without lock plug installed, eliminating need for masking.

Simplified Inventory Management

- One stock of lock plugs fulfills all locking requirements.




Lock Plug + Cylinder Body = Assembled Lock



A change tool (P/N KY-500) is required to remove plugs. A firm clockwise turn removes the plug.

WHEN ASSEMBLED, MOST TIMBERLINE LOCKS ARE DESIGNED FOR MOUNTING IN 3/4" PANELS ... WITH OR WITHOUT A VENEER OR LAMINATE FACE





ADJUSTABLE PIN INSTALLATION

LR-100 Lockbar Retainer holds the lockbar in its groove when drawer slides alone are not sufficient.



AP-037 3/8" Adjustable Pins may be installed or moved easily with a 1/4" hex tool to any position along the length of the lockbar.

Adjustable pins are also available in the following longer lengths: 1/2", 5/8", 3/4", 7/8", 1", 1 1/4", 1 1/2", 1 3/4", and 2".



DRAWER LOCKING

DC-500 Drawer Locking Clips provide the preferred method of locking drawers. When used with the AP-037 3/8" Adjustable Pin, a strong, rigid lock is provided that fits easily within the standard 1/2" drawer slide clearance.





SYSTEM 101

FRONT MOUNTED
GANG LOCK FOR
MULTIPLE DRAWERS

- LOCK MOUNTED IN
DRAWER FRONT
- MINIMIZES INTERFERENCE
WITH HANGING FILES




- FULL 1/2" LOCKBAR THROW
- FITS WITHIN 1/2" DRAWER
SLIDE CLEARANCE
- MINIMAL MACHINING
REQUIRED:
 - HOLE FOR LOCK
 - GROOVE FOR LOCKBAR



LOCK PLUGS

LP-100 Nickel
LP-200 Old English
LP-300 Black
LP-400 Statuary Bronze
LP-500 Brass
LP-700 Satin Nickel

CB-101
TYPE 101
CYLINDER
BODY



LC-106
TYPE 106
LOCKBAR CLIP



LB-240
LOCKBAR
24" STANDARD
OR CUT TO SIZE



AP-037 3/8"
ADJUSTABLE PIN



LR-100
LOCKBAR RETAINER




DC-500 DRAWER LOCKING CLIP




SYSTEM 100



- LOCK MOUNTED
IN FIXED RAIL




CB-100
TYPE 100
CYLINDER
BODY



LC-100
TYPE 100
LOCKBAR CLIP


TYPICAL INSTALLATION DETAILS



SYSTEM 104



- LOCKBAR LOCATED
FURTHER BACK IN CASE
- FOR USE WITH 32MM
CABINET CONSTRUCTION




LOCK BAR MUST
BE RESTRAINED
FROM DROPPING
WHEN IN OPEN
POSITION

CB-101
TYPE 101
CYLINDER
BODY





EXTENDED
LOCKBAR CLIP
LC-104 (RIGHT HAND)
LC-114 (LEFT HAND)

TYPICAL INSTALLATION DETAILS




SYSTEM 120

SINGLE SIDED



Assure-Sync feature keeps the lock and actuator position synchronized. Low profile pin cam keeps lock from interfering with the drawer box.




Reference dimensions for lock hole with full overlay drawer and 3/4" end panel.



SYSTEM 120

DOUBLE SIDED



AC-125 REMOTE
ACTUATOR



CB-120 CYLINDER BODY




AC-120 DRIVE
ACTUATOR



DC-500 DRAWER
LOCKING CLIP




LB-240
LOCKBAR
24" STANDARD
OR CUT TO SIZE




SS-360-36"
SQUARE SHAFT



AP-037 3/8"
ADJUSTABLE PIN




Reference dimensions for end panel with full overlay drawer. Lockbar location is the same for the AC-120 & AC-125 actuators.





Lock arm adjusts vertically +/- 3/16" for ease of alignment. Lock arm adjusts with 5/32" hex wrench. Low profile actuator fits within 1/2" drawer suspension.

SYSTEM 270



SIDE MOUNTED GANG LOCK
FOR TWO DRAWERS



- FULL 1/2" THROW
- FITS WITHIN 1/2" DRAWER SLIDE CLEARANCE
- LOCK HOLE ONLY MACHINING REQUIRED



TYPICAL INSTALLATION DETAILS



LOCK PLUGS

- LP-100 Nickel
- LP-200 Old English
- LP-300 Black
- LP-400 Statuary Bronze
- LP-500 Brass
- LP-700 Satin Nickel



CB-270
TYPE 270 CYLINDER BODY



DC-500 DRAWER LOCKING CLIP





SYSTEM 150



SIDE MOUNTED GANG LOCK
FOR MULTIPLE DRAWERS



- FULL 1/2" LOCKBAR THROW
- FITS WITHIN 1/2" DRAWER SLIDE CLEARANCE
- MINIMAL MACHINING REQUIRED:
 - HOLE FOR LOCK
 - GROOVE FOR LOCKBAR



TYPICAL INSTALLATION DETAILS



LOCK PLUGS

- LP-100 Nickel
- LP-200 Old English
- LP-300 Black
- LP-400 Statuary Bronze
- LP-500 Brass
- LP-700 Satin Nickel

CB-150
TYPE 150
CYLINDER
BODY



LC-150
TYPE 150
LOCKBAR CLIP

LB-240
LOCKBAR
24" STANDARD
OR CUT TO SIZE



AP-037 3/8"
ADJUSTABLE PIN



LR-100
LOCKBAR RETAINER



DC-500 DRAWER LOCKING CLIP

CENTRAL LOCKING SYSTEM 500




**A COMPLETE
SYSTEM FOR
CENTRAL
LOCKING BOTH
DESKS AND
CREDENZAS.**

**Components are
available for single
sided units and
credenzas with
double doors.**



Special cylinder bodies
and flexible shafts available
for single sided desks and
double door credenzas.




LOCK PLUGS

LP-100 Nickel
LP-200 Old English
LP-300 Black
LP-400 Statuary Bronze
LP-500 Brass
LP-700 Satin Nickel



CB-550
CYLINDER BODY



FS-362
FLEXIBLE SHAFT
(LENGTH MUST BE
SPECIFIED...
TYPICALLY X"-1/4")



DC-500 DRAWER
LOCKING CLIP



SC-100
SHAFT
CLIP



AP-037 3/8"
ADJUSTABLE PIN



LB-240
LOCKBAR
24" STANDARD
OR CUT TO SIZE



SP-250
STRIKE
PLATE




LR-100
LOCKBAR RETAINER



AC-500
ACTUATOR

TYPICAL INSTALLATION




UP TO FOUR PEDESTALS
AND A CENTER DRAWER
CAN BE LOCKED USING
ONE LOCK MOUNTED ON
A FRONT EXPOSED RAIL




ANTI-TIP INTERLOCK SYSTEM 350


(NO LOCK)



WEDGE LOCK MUST
BE USED DURING
PRODUCT SHIPMENT
TO HOLD LOCKBAR IN
PROPER POSITION



SN-300
SNAPPER
(STIFF ACTION)



LB-240
LOCKBAR
24" STANDARD
OR CUT TO SIZE



AP-037 3/8"
ADJUSTABLE PIN



LR-100
LOCKBAR RETAINER





WD-100
WEDGE LOCK

WD-21A
ANTI-TIP
WEDGE TYPE A




WD-21B
ANTI-TIP
WEDGE TYPE B

ANTI-TIP INTERLOCK FUNCTION



WHEN ANY DRAWER IS PULLED OPEN, THE WEDGES ON THAT DRAWER MOVE THE LOCKBAR INTO A LOCKED POSITION... THEREBY PREVENTING ANY FURTHER DRAWERS FROM BEING OPENED


PROPER WEDGE CONFIGURATION




WHEN WEDGES ARE INSTALLED IN THE PROPER POSITIONS AS SHOWN ABOVE, ONLY ONE DRAWER MAY EVER BE OPEN AT ANY ONE TIME... EVEN IF TWO DRAWERS ARE PULLED AT EXACTLY THE SAME TIME!

TL-200 WEDGE/PIN MARKING TOOL

REQUIRED FOR PROPER INSTALLATION




ACCURATELY MARKS PIN POSITION FOR PROPER WEDGE ACTION





LATERAL FILE LOCK/INTERLOCK SYSTEM 300

LOCKS WIDE
DRAWERS ON
BOTH SIDES AND
PROVIDES ANTI-
TIP INTERLOCK



LATERAL FILE

- MOUNTS IN 1" EXPOSED RAIL
- ANTI-TIP INTERLOCK HELPS PREVENT ACCIDENTAL TIPPING OF FILE UNIT
- SEE PROPER WEDGE CONFIGURATION ON PAGE 14




LOCK PLUGS

LP-100 Nickel
LP-200 Old English
LP-300 Black
LP-400 Statuary Bronze
LP-500 Brass
LP-700 Satin Nickel



CB-500
CYLINDER BODY



FS-362
FLEXIBLE SHAFT
(LENGTH MUST BE
SPECIFIED...
TYPICALLY X"-5/8")



LB-240
LOCKBAR
24" STANDARD
OR CUT TO SIZE



SC-100
SHAFT
CLIP



LR-100
LOCKBAR
RETAINER

WD-21A
ANTI-TIP
WEDGE TYPE A



AP-037 3/8"
ADJUSTABLE PIN




WD-21B
ANTI-TIP
WEDGE TYPE B



AC-200
ACTUATOR


ANTI-TIP INTERLOCK SYSTEM 400

2-DRAWER LATERAL (NO LOCK)



WHEN EITHER DRAWER IS PULLED OPEN, THE DRAWER CLIP ON THAT DRAWER MOVES THE SNAPPER INTO A LOCKED POSITION... THEREBY PREVENTING ANY FURTHER DRAWERS FROM BEING OPENED

TYPICAL INSTALLATION DETAILS



- PREVENTS MORE THAN ONE DRAWER FROM BEING OPENED AT A TIME
- MEETS BIFMA STANDARDS FOR STRENGTH AND DURABILITY
- ALL COMPONENTS ARE SURFACE MOUNTED
- WIDE TOLERANCE ACCOMMODATION
- EASY TO MOUNT AND LOW COST
- 1/2" DRAWER SLIDE CLEARANCE REQUIRED



SN-400
ANTI-TIP SNAPPER




DC-400
DRAWER CLIP



ANTI-TIP INTERLOCK SYSTEM 400


3 OR 4-DRAWER LATERAL (NO LOCK)




DC-410 NARROW DRAWER CLIP

FOR USE WHEN LESS SPACE IS ALLOWABLE
BETWEEN DRAWER SLIDES


DC-410
NARROW
DRAWER CLIP



TYPICAL INSTALLATION DETAILS



LINKAGE COMPONENTS



SN-410
LINKAGE ARM



LOCKBAR
FIXED PIN
(SEE DRAWING
FOR SIZING
INSTRUCTIONS)




DEADBOLT LOCKS HORIZONTAL MOUNT


- TWO STYLES AVAILABLE
- REQUIRES 16.5 MM DIAMETER HOLE
- ATTRACTIVE TOUGH NYLON HOUSING
- MOUNTS IN 3/4" MATERIAL



CB-230
TYPE 230
CYLINDER BODY




CB-231
TYPE 231
CYLINDER BODY




SP-250
STRIKE
PLATE



CB-232
TYPE 232
CYLINDER BODY



CB-234
TYPE 234
CYLINDER BODY




CB-235
TYPE 235
CYLINDER BODY





LOCK PLUGS



- LP-100 Nickel
- LP-200 Old English
- LP-300 Black
- LP-400 Statuary Bronze
- LP-500 Brass
- LP-700 Satin Nickel



CB-280
TYPE 280
CYLINDER BODY




CB-281
TYPE 281
CYLINDER BODY





DEADBOLT LOCKS VERTICAL MOUNT



- TWO STYLES AVAILABLE
- REQUIRES 16.5 MM DIAMETER HOLE
- ATTRACTIVE TOUGH NYLON HOUSING
- MOUNTS IN 3/4" MATERIAL



CB-240
TYPE 240
CYLINDER BODY





CB-241
TYPE 241
CYLINDER BODY





CB-242
TYPE 242
CYLINDER BODY


SP-250
STRIKE
PLATE





CB-244
TYPE 244
CYLINDER BODY





CB-245
TYPE 245
CYLINDER BODY



CB-290
TYPE 290
CYLINDER BODY



CB-291
TYPE 291
CYLINDER BODY




LOCK PLUGS

- LP-100 Nickel
- LP-200 Old English
- LP-300 Black
- LP-400 Statuary Bronze
- LP-500 Brass
- LP-700 Satin Nickel




CAM LOCKS HORIZONTAL MOUNT


- AVAILABLE WITH EITHER 90° OR 180° ROTATION
- REQUIRES 16.5 MM DIAMETER HOLE
- MOUNTS IN 3/4" MATERIAL



90° ROTATION




CAMS CHANGE EASILY!




180° ROTATION

CB-080
TYPE 080
CYLINDER BODY




CB-180
TYPE 180
CYLINDER BODY

CB-083
TYPE 083
CYLINDER BODY




CB-183
TYPE 183
CYLINDER BODY

CB-084
TYPE 084
CYLINDER BODY




CB-184
TYPE 184
CYLINDER BODY

CB-087
TYPE 087
CYLINDER BODY




CB-187
TYPE 187
CYLINDER BODY

CB-085
TYPE 085
CYLINDER BODY




CB-185
TYPE 185
CYLINDER BODY

CB-088
TYPE 088
CYLINDER BODY



CB-188
TYPE 188
CYLINDER BODY

CB-089
TYPE 089
CYLINDER BODY






CB-189
TYPE 189
CYLINDER BODY



LOCK PLUGS


- LP-100 Nickel
- LP-200 Old English
- LP-300 Black
- LP-400 Statuary Bronze
- LP-500 Brass
- LP-700 Satin Nickel

**NOTE:
CAM LOCKS
MUST BE
INSTALLED SO
THAT THEY LOCK
IN THE COUNTER-
CLOCKWISE
POSITION!**





CAM LOCKS VERTICAL MOUNT

- AVAILABLE WITH EITHER 90° OR 180° ROTATION
- REQUIRES 16.5 MM DIAMETER HOLE
- MOUNTS IN 3/4" MATERIAL




90° ROTATION





180° ROTATION

CB-090
TYPE 090
CYLINDER BODY





CB-190
TYPE 190
CYLINDER BODY

CB-093
TYPE 093
CYLINDER BODY






CB-193
TYPE 193
CYLINDER BODY

CB-094
TYPE 094
CYLINDER BODY




CB-194
TYPE 194
CYLINDER BODY

CB-097
TYPE 097
CYLINDER BOD





CB-197
TYPE 197
CYLINDER BODY

CB-095
TYPE 095
CYLINDER BODY






CB-195
TYPE 195
CYLINDER BODY

CB-098
TYPE 098
CYLINDER BODY




CB-198
TYPE 198
CYLINDER BODY

CB-099
TYPE 099
CYLINDER BODY





CB-199
TYPE 199
CYLINDER BODY




LOCK PLUGS

- LP-100 Nickel
- LP-200 Old English
- LP-300 Black
- LP-400 Statuary Bronze
- LP-500 Brass
- LP-700 Satin Nickel

**NOTE:
CAM LOCKS
MUST BE
INSTALLED SO
THAT THEY LOCK
IN THE COUNTER-
CLOCKWISE
POSITION!**



CAM LOCK KITS CB-165, CB-168, CB-169



Application - Universal lock for either doors or drawers. Each kit contains a variety of easily switched cams to accommodate most locking situations.

Operation - 90° or 180° cam rotation. Counter clockwise to lock.

Keying - Order lock plug separately.

Packaging - Cylinder supplied with two straight and two bent cams. Bent cams have setback of 15/32". Cam plates are zinc plated.

These Kits will Replace the Following Timberline Cam Locks:

CB-165 90° Rotation			CB-168 180° Rotation (Horizontal)		CB-169 180° Rotation (Vertical)	
CB-080	CB-083	CB-084	CB-180	CB-183	CB-190	CB-193
CB-085	CB-087	CB-088	CB-184	CB-185	CB-194	CB-195
CB-090	CB-093	CB-094	CB-187	CB-188	CB-197	CB-198
CB-095	CB-097	CB-098				

THREADED BARREL CAM LOCK KIT

CB-141 – Nickel Plated Cylinder
CB-143 – Black Plated Cylinder (shown)


Application – Universal type lock for either doors or drawers. Kit will accommodate most locking applications for material thickness 1/16" – 1/2".

Industry-standard Double D hole can be used in metal applications.

Operation – 90 degree cam rotation. Counter clockwise to lock.

Keying – Order lock plugs separately.


Packaging Contents – Cylinder supplied with one straight cam, two bent cams, flange nut, hex nut and spur washer. Cam plates are zinc plated.



LOCK PLUGS



LP-100 Nickel
LP-200 Old English
LP-300 Black
LP-400 Statuary Bronze
LP-500 Brass
LP-700 Satin Nickel

FLIPPER/TAMBOUR DOOR LOCK CB 181 & CB 191




CB-181
TYPE 181
CYLINDER
BODY
HORIZONTAL
MOUNT

CB-191
TYPE 191
CYLINDER
BODY
VERTICAL
MOUNT




- REQUIRES 16.5 MM DIAMETER HOLE

SP-181 STRIKE PLATE



PUSH LOCK TYPE 175





- LOCKS SLIDING DOORS
- REQUIRES 3/4" DIAMETER HOLE



BZ-110
FINISH CUP


- OPTIONAL FINISH CUP FOR BACK DOOR
- REQUIRES 1/2" HOLE
- NICKEL FINISH



LOCK PLUGS

- LP-100 Nickel
- LP-200 Old English
- LP-300 Black
- LP-400 Statuary Bronze
- LP-500 Brass
- LP-700 Satin Nickel


THICK PANEL LOCK TYPE 170






MOUNTING FLANGE
ADJUSTS TO ALLOW
LOCK TO BE MOUNTED
IN PANELS FROM 7/8"
THICK UP
TO 1 3/8" THICK

CB-170
TYPE 170
CYLINDER BODY

- REQUIRES 16.5 MM DIAMETER HOLE
- 90° ROTATION ONLY




THE 'THICK PANEL LOCK'
COMES PACKAGED WITH
2 DIFFERENT CAMS WHICH
CAN BE ASSEMBLED TO
THE LOCK IN ANY OF THE 3
ORIENTATIONS ILLUSTRATED
TO THE RIGHT. THIS OFFERS
SUFFICIENT FLEXIBILITY
TO ADAPT TO MOST
LOCKING SITUATIONS.




DOUBLE DOOR LOCK TYPE 250




- REQUIRES 16.5 MM DIAMETER HOLE



CB-250
TYPE 250
DOUBLE DOOR LOCK




CB-251
TYPE 251
DOUBLE DOOR LOCK WITH
11/16" OFFSET




LOCK PLUGS

LP-100 Nickel
LP-200 Old English
LP-300 Black
LP-400 Statuary Bronze
LP-500 Brass
LP-700 Satin Nickel

CB-255
TYPE 255
OPPOSITE MOUNT
DOUBLE DOOR LOCK



CB-256
TYPE 256
OPPOSITE MOUNT
DOUBLE DOOR LOCK
WITH 11/16" OFFSET






SYSTEM 260 WARDROBE LOCK




- FULL 1/2" WARDROBE BAR THROW
- 16.5 MM LOCK HOLE ONLY MACHINING REQUIRED

FOR HORIZONTAL MOUNTING USE
CB-265 TYPE 265 CYLINDER BODY




LOCK PLUGS

- LP-100 Nickel
- LP-200 Old English
- LP-300 Black
- LP-400 Statuary Bronze
- LP-500 Brass
- LP-700 Satin Nickel



CB-260
TYPE 260
CYLINDER BODY
(VERTICAL MOUNT)



GLASS DOOR LOCK BORE THROUGH STYLE


- FOR SWING STYLE DOORS

- MOUNTS IN GLASS DOORS UP TO 3/8" THICK



TYPE 300 SERIES
HORIZONTAL MOUNT



TYPE 310 SERIES
VERTICAL MOUNT



**CAM MUST ROTATE
COUNTERCLOCKWISE
TO LOCK**



HORIZONTAL MOUNT

CB-301
NICKEL FINISH



CB-305
BRASS FINISH




CB-307
SATIN NICKEL
FINISH



LOCK PLUGS

LP-100 Nickel
LP-500 Brass
LP-700 Satin Nickel



VERTICAL MOUNT

CB-311
NICKEL FINISH



CB-315
BRASS FINISH



CB-317
SATIN NICKEL
FINISH




GLASS DOOR LOCK COMPRESSION MOUNT STYLE

- NON-BORE GLASS DOOR LOCKS
- FULLY CUSHIONED TO AVOID GLASS DAMAGE
- MOUNTS ON GLASS DOORS 1/4" TO 5/16" THICK

TYPE 350 SERIES
HORIZONTAL MOUNT





TYPE 360 SERIES
VERTICAL MOUNT



LOCK SLIPS ONTO
EDGE OF GLASS
DOOR AT ANY
LOCATION

NO BORING
REQUIRED




HORIZONTAL MOUNT


CB-351
NICKEL FINISH



CB-355
BRASS FINISH



CB-357
SATIN NICKEL
FINISH




LOCK PLUGS

LP-100 Nickel
LP-500 Brass
LP-700 Satin Nickel

VERTICAL MOUNT

CB-361
NICKEL FINISH



CB-365
BRASS FINISH





CB-367
SATIN NICKEL
FINISH



GLASS DOOR LOCK DOUBLE DOOR STYLE

TYPE 370 SERIES
VERTICAL COMPRESSION
MOUNT



CB-371
NICKEL FINISH



CB-375
BRASS FINISH



CB-377
SATIN NICKEL
FINISH


ACCESSORIES



KY-500 CHANGE TOOL

REQUIRED TO
REMOVE LOCK
PLUGS IN
CYLINDER
BODIES

SP-500
STRIKE PLATE




SCREWS TO CASE SIDE.
USE WHEN NO STRINGER AVAILABLE.

ALLOWS CYLINDER BODIES TO BE USED WITH 3/4" THROUGH
7/8" DIAMETER HOLES AND PERMITS USE OF LOCKS IN 7/8"
THICK PANELS



BZ-100 - Bezel Nickel
BZ-200 - Bezel Old English
BZ-300 - Bezel Black
BZ-400 - Bezel Statuary Bronze
BZ-500 - Bezel Brass
BZ-700 - Bezel Satin Nickel



DRILLS THE PROPER
DIAMETER HOLE FOR
MOST CYLINDER
BODIES

DB-165
16.5MM DRILL BIT



CC-100
CYLINDER FINISH CAP

COVERS CYLINDER
BODY DURING
FINISHING BEFORE
LOCK PLUGS ARE
INSTALLED



SP-300
SPACER FOR 5/8" PANEL

ALLOWS
CAM LOCK
CYLINDER
BODIES TO
BE USED IN
5/8" THICK
PANELS




NEW!
LP-TK-03
THUMB KNOB



- FOR USE WITH ALL COMPLY TIMBERLINE CYLINDER BODIES
- WORKS AS A GENERAL THUMB LATCH WHEN KEYED LOCK PLUGS ARE NOT REQUIRED, AS A SHIPPING PLUG OR AS AN INSERT FOR TESTING LOCKS DURING MANUFACTURING



DRAWER CLIPS AND STRIKE PLATES



StealthLock))) - Keyless, Invisible Electronic Cabinet Lock

Patent Pending.

stealthlock.com

StealthLock works via radio frequency which allows wireless locking of multiple cabinet openings.


The **Transmitter Pad** broadcasts the code entered to lock or unlock the cabinet door or drawer.



The Transmitter Pad can mount anywhere within 15 feet of the Receiver Latch without wires.

StealthLock is recommended for use on cabinets made from:

- Wood and wood products
- Phenolic Resin
- Glass



The **Strike Plate** is mounted on the door or drawer to be locked and interfaces with the Receiver Latch.



The **Receiver Latch** mounts inside the cabinet, hidden from view and receives lock or unlock instruction from the Transmitter Pad.



StealthLock))) - Keyless, Invisible Electronic Cabinet Lock

Patent Pending.

stealthlock.com


COMPONENTS

TP-100 – Transmitter Pad

- Operates with CR2032 coin battery, included
- Low battery indicator

Available in two versions:

Standard – Use for most residential and general commercial applications



Dedicated – Use part number TP-150, special factory order, unique Transmitter Pad ID mates a Transmitter Pad to specific Receiver Latches. Ideal for lockers or users within close proximity of each other.


RL-100 – Receiver Latch

- Programmable using Transmitter Pad
- One required per door or drawer
- Mounts within 1/2" drawer suspension
- Operates with 4 AAA batteries




SP-600 – Strike Plate

- For door and drawer use
- Fits within 1/2" drawer suspension



TL-600 – Installation Tool

- Use to mount Receiver Latch and Strike Plate
- Included with the SL-100 and RL-110 kits



KITS

SL-100 – StealthLock Kit

- Contains all parts necessary to lock one door or drawer
- Kit includes:
 - ♦ RL-100 – Receiver Latch
 - ♦ TP-100 – Transmitter Pad
 - ♦ SP-600 – Strike Plate
 - ♦ TL-600 – Installation Tool
 - ♦ required mounting screws



RL-110 – Receiver Latch Kit

- Contains all parts necessary to lock additional doors or drawers operated by existing Transmitter Pad
- Kit includes:
 - ♦ RL-100 – Receiver Latch
 - ♦ SP-600 – Strike Plate
 - ♦ TL-600 – Installation Tool
 - ♦ required mounting screws



StealthLock))) - Keyless, Invisible Electronic Cabinet Lock


stealthlock.com

ACCESSORIES


Patent Pending.

MP-700 Mounting Plate Satin Nickel

- Mounting screws and template included



Mounting screws fit material 5/8" - 7/8" thick



NEW!

MP-700-WM

Wall-Mounting Plate Satin Nickel
Allows mounting plate to be affixed to wall or other surfaces where rear access is unavailable.

AUXILIARY POWER SYSTEM


RL-AP1 - Power Supply

- Connects Receiver Latch to 120 VAC power
- Includes 5-1/2 foot cord



RL-APC-9VJ-10 - Power Cord - 9V Jump

- Provides emergency power to Receiver Latch using a 9 volt battery
- 10 foot cord length




RL-APC - Power Cord

- Use to daisy chain Receiver Latches

Available lengths

- RL-APC-3 Power Cord - 3 ft.
- RL-APC-5 Power Cord - 5 ft.
- RL-APC-10 Power Cord - 10 ft.



RL-AP1 and RL-APC-9VJ-10 can power up to 10 Receiver Latches using the RL-APC Power Cords.


Visit stealthlock.com for programming and installation videos, frequently asked questions and more.




FILE FRAME SYSTEMS

DESK FILE DRAWERS

FILE DRAWER



WIDE FILE DRAWER




LATERAL FILE DRAWERS


LATERAL FILE DRAWER



LATERAL FILE DRAWER WITH SIDE TO SIDE FILING



DEEP FILE DRAWERS




PLAIN DRAWER SYSTEMS




METAL DRAWER SYSTEMS

LETTER WIDTH FILES



LEGAL WIDTH FILES





FILING ACCOMMODATIONS BASED ON TYPICAL DRAWER SIZE – ACTUAL FILING CAPABILITIES WILL VARY




FILE FRAME CUT TO SIZE KITS


Step 1: Determine kit needed




Step 2: Attach fixed rail




Step 3: Size, cut & install rails



Step 4: Install side-to-side rail



For lateral files, use two kits to maximize filing space.




Fits drawers with inside depth less than 26"



KITS CONTAIN ALL COMPONENTS NEEDED TO FILE FRONT-TO-BACK OR SIDE-TO-SIDE IN PROPERLY SIZED DRAWERS. FILE FRAME KITS CAN BE USED IN EITHER FULL WOOD DRAWERS OR METAL DRAWER BOX SYSTEMS.



FILE FRAME SYSTEM ADVANTAGES



Typical file frame corner

Great Appearance... Functional Design


- Attractive, black material
- Files slide smoothly
 - Will not slide out of position when using files
 - Will not pull out when removing files
- Easy to adjust between filing configurations
 - Rails snap in and out of position without tools



Proven durable during load testing

Proven Design and Durability

- Easily supports twice the fully loaded weight of paper
- Weight is supported by the top of the drawer, not screws
- Withstands 50,000 back and forth cycles without paint wear or other degradation



Fits easily into place and slides smoothly to desired lock-in filing configuration

Cost Effective, Easy to Install, and Reliability of Supply


- Easy to install using only screws
- No machining required
- No need to tape frame system in place during shipping
- Easy to purchase directly from manufacturer
- One week typical lead time



File frame generally ships within one week


FILE FRAME FACTS

LETTER FILES




FILE FRAME SYSTEM CAN PROVIDE PERFECT LETTER FILING WITHIN THESE DIMENSIONS

LEGAL FILES



FILE FRAME SYSTEM CAN PROVIDE PERFECT LEGAL FILING WITHIN THESE DIMENSIONS





715 Center Street
Grayslake, IL 60030
1-800-LOCKBAR
PH: 1-847-752-2600 FAX: 1-847-752-2420
email: timberlineorders@compx.com
compx.com




The products contained in this catalog are protected by the following patents:
5,678,437; 1,331,036; 6,109,708; 6,550,874; 7,665,812.

© 2012 CompX Timberline

Catalog #0612

CB-085/CB-185 CAM LOCK HORIZONTAL MOUNTED "Shown with lock core installed"





77 Westport Plaza
Suite 250
St. Louis, MO 63146

TRANSMITTAL

No. 15051-0560

Paric Corporation

PROJECT: 15051-Webster University Interdisciplinary Science Building

DATE: 04/19/2017

TO: Cannon Design
1100 Clark Ave
St Louis MO 63102

Fax;
314-241-2203

RE: Cabinet Lock Product Data

ATTN: Kelvin Patel

JOB: 15051

WE ARE SENDING:	SUBMITTED FOR:	ACTION TAKEN:
☐ Shop Drawings	☒ Approval	☐ Approved as Submitted
☐ Letter	☐ Your Use	☐ Approved as Noted
☐ Prints	☐ As Requested	☐ Returned After Loan
☐ Change Order	☐ Review and Comment	☐ Resubmit
☐ Plans		☐ Submit
☐ Samples	SENT VIA:	☐ Returned
☐ Specifications	☐ Attached	☐ Returned for Corrections
☒ Other: Product Data	☐ Separate Cover Via:	☐ Due Date:

<i>Item</i>	<i>Package</i>	<i>Code</i>	<i>Rev.</i>	<i>Copies</i>	<i>Date</i>	<i>Description</i>	<i>Status</i>
Submittal		064116-016	1		04/19/2017	Cabinet Lock Product Data	Submitted

NOTES:

CC:

Signed: _____
Devin Gates