



GENERAL DESCRIPTION

Hydroflex 30 is a specially formulated heavy duty, rubberized asphalt, protection sheet with synthetic fiber reinforcement.

BASIC USE

Hydroflex 30 is specifically designed to be embedded into Hydrotech's Monolithic Membrane 6125 roofing and waterproofing membranes to provide protection from typical construction traffic. In high traffic areas where vehicular traffic is anticipated or extreme physical abuse is expected, additional protection may also be required for the membrane assembly.

SIZES

Hydroflex 30 is available in roll form, with a width of 39.4 inches (1.0 m) and a length of 66 feet (20 m) (Midwest and Eastern U.S.) and a length of 50.25 feet (15.3 m) (Western U.S.). The rolls equal approximately 216 square feet (18.6 sq.m.) and 165 square feet (15.3 sq.m.) of material respectively.

TECHNICAL SPECIFICATIONS

Thickness: .085 inch; $\pm$.005 (85 mils, 2 mm)

Color: Black (with light broadcast of sand)



WESTERNTM

SPECIALTY CONTRACTORS
CONFIDENCE THROUGH PERFORMANCE

1947 Gravois Avenue
St .Louis, MO 63104
Phone: (314) 773-8813 Fax: (314)773-0843

TO: Paric Corporation

LETTER OF TRANSMITTAL

DATE	JOB
2-Dec-16	Webster U ISB
ATTENTION	
Devin Gates	
Re: Waterproofing Submittals	

We are Sending You

- | | | | |
|--|--|--|--|
| ☒ Submittals | ☐ Lien waiver | ☐ Signed change order | ☐ Insurance Certificate |
| ☐ Quotation | ☐ Signed contract | ☐ Change order request | ☐ Invoice |
| ☐ Copy of Letter | ☐ Warranty | ☐ Request for information | |
| ☐ Other _____ | | | |

Copies	Date	Description
1		Hydrotech 6125 Membrane (2 pgs)
1		Hydrotech Surface Conditioner (1 pg)
1		Hydrotech Flex Flash - F (1 pg)
1		Hydrotech Flex Flash - UN (1 pg)
1		Hydrotech 30 Protection Board (1 pg)
1		Hydrotech Bonding Adhesive (1 pg)
1		Hydrotech Lap Sealant (1 pg)
1		Hydrotech Splice Cement (1 pg)
1		DOW PLAZAMATE Insulation Panels (2 pgs)
1		Filter Fabric (1 pg)
1		Sketch Sheets of Areas Receiving waterproofing and paver system (paver layout inc.) (2 pgs)
1		Hydrotech Flex-Flash Typical Flashing Details (4 pgs)

THESE ARE TRANSMITTED as checked below:

- ☒ For approval
- ☐ For your use
- ☐ As requested
- ☐ For review and comment
- ☐ FOR BIDS DUE



REMARKS:

PAVER SAMPLES AND COLORS ARE ONSITE.....Let me know if you should need anything else.

Copy: File

Signed: Thomas J Belgeri / Dept Mgr - StL 01