


Full Size Interchangeable Core Mortise Cylinders



Cylinders for Schlage L-Series Mortise Locks

	Design	Function	Core Mechanism		
			Conventional	Primus, Primus XP	Housing Less Core
	L & N Escutcheons (cylinders with compression ring)	All Except Below	30-008	20-798, 20-798-XP	30-007
		L9060P Outside	30-030	20-782, 20-782-XP	30-032 + 36-083
		L9485P, L9486P Hotel Functions	30-010*	N/A	30-007
	Sectional Trim (cylinder with compression ring, spring and 3/8" blocking ring). 9060 requires 1/2" blocking ring.	All Except Below	30-138	20-776, 20-776-XP	30-137
		L9060P Outside	30-030 + 36-083 + 35-082-030	20-783, 20-783-XP	30-032 + 36-083 + 36-082-050
		L9485P, L9486P Hotel Functions	30-040*	N/A	30-137

* Hotel function cores are handed. Specify hand of door.



L583-255
Cam for All Functions
Except L9060 Outside



K510-680
Cam for
L9060 Outside

Mortise Cylinders with Straight Cam for Exit Devices

Number	Core Mechanism	Collar
26-091	Conventional core	Compression ring & spring
20-061		3/8" blocking rings + compression ring & spring
20-763, 20-763-XP	Primus/Primus XP core	Compression ring & spring
20-771, 20-771-XP		3/8" blocking rings + compression ring & spring
20-059	Housing less core	None
26-064		Compression ring & spring



K510-730
Straight Cam,
Other Applications

- Notes
1. Available 605, 606, 609, 612, 613, 619, 625, and 626 finish. Cores furnished 606 and 626 only.
 2. To differentiate between Classic and Everest 29, specify keyway. Example: C or CP (Classic), S123 (Everest 29). Everest 29 S123 keyway standard.
 3. All cylinders are 1 1/2" long.
 4. Specify LKB if 0-bitted Primus XP cylinders are required less key blanks.

Hardware

Manufacturer's

Accurate Lock, Doug Mockett, Glynn Johnson,

Ives, LCN, Brio, Schlage, Von Duprin, Zero

Hardware Finish

32D Satin Stainless Steel, 26D Satin Chrome,

Aluminum



PARIC
EXPERIENCE. EXCELLENCE.

77 Westport Plaza
Suite 250
St. Louis, MO 63146

TRANSMITTAL

No. 15051-0222

Paric Corporation

PROJECT: 15051-Webster University Interdisciplinary Science Building

DATE: 09/12/2016

TO: Cannon Design
1100 Clark Ave
St Louis MO 63102

RE: Hardware Product Data

ATTN: Kelvin Patel

JOB: 15051

WE ARE SENDING:		SUBMITTED FOR:	ACTION TAKEN:
☐ Shop Drawings		☒ Approval	☐ Approved as Submitted
☐ Letter		☐ Your Use	☐ Approved as Noted
☐ Prints		☐ As Requested	☐ Returned After Loan
☐ Change Order		☐ Review and Comment	☐ Resubmit
☐ Plans			☐ Submit
☐ Samples		SENT VIA:	☐ Returned
☐ Specifications		☐ Attached	☐ Returned for Corrections
☒ Other: Product Data		☐ Separate Cover Via:	☐ Due Date:

Item	Package	Code	Rev.	Copies	Date	Description	Status
Submittal		087100.03-002	1		09/12/2016	Hardware Product Data	Submitted

NOTES:

CC:

Signed: _____

Devin Gates