092900-2.6.A.2.F
Complies with
ASTM C 1047

ClarkDietrich BUILDING SYSTEMS

Product Submittal Sheet

Tech Support: 888-437-3244
Engineering Services: 877-832-3206
Sales: 800-543-7140
clarkdietrich.com

#093 Zinc Control Joint (ZNCJ)

Metal Control Joint

09.22.00 (Support for Plaster & Gypsum Board)



- Relieves stress of expansion and contraction
- Zink for corrosion protection
- Use with drywall or veneer plaster

ClarkDietrich #093 Zinc Control Joint is applied between abutting gypsum panels, and is used to relieve stresses of expansion and contraction of drywall and veneer plaster systems in large ceiling and wall expanses over 30' in length. #093 Zinc Control Joint is typically installed from door header to ceiling, from floor to ceiling in long partition runs, and from wall-to-wall in large ceiling areas. Zinc Control Joints are manufactured from high-quality pure zinc and can be used for interior or exterior applications. The 1/4" by 7/16" opening is protected by plastic tape, which is removed after joint compound or plaster has been applied and the finish is completed.

Note: Where fire and/or sound control are required, an approved sealant must be installed behind the control joint. Consult construction documents for details of construction for the control joint assembly.

Product Data & Ordering Information

Material: 0.013 Zinc.
Dimensions: 3/32" Ground

Ground	Length	Wt./Ctn.	Pcs./Ctn.
3/32"	10'	22.5 lbs	25

ASTM & Code Standards:

- ASTM C1047
- Zinc meets or exceeds requirements of ASTM B69
- MSDS & Product Certification Information available at www.clarkdietrich.com

Storage:

All stored materials shall be kept dry. Materials shall be stacked off the ground, supported on a level platform, and protected from the weather.



Sustainability Credits:

For more details and LEED letters contact Technical Services at 888-437-3244 or visit www.clarkdietrich.com/LEED

LEED v4 MR Credit -- Building Product Disclosure and Optimization: EPD (up to 2 points) - Sourcing of Raw Materials (1 point) - Material Ingredients (1 point) - Construction and Demolition Waste Management (up to 2 points) - Innovation Credit (up to 2 points).

LEED 2009 Credit MR 2 & MR 4 -- ClarkDietrich's steel products are 100% recyclable and have a minimum recycled content of 34.9% (24.3% post-consumer and 9.4% pre-consumer). If seeking a higher number to meet Credit MR 5, please contact us at (info@clarkdietrich.com / 888-437-3244)

CD-Metal-ZNCJ © 07/12 ClarkDietrich Building Systems

Project Information
Name: 212 South Meramec Apartments
Address: 212 South Meramec
Clayton MO 63105

Contractor Information
Name: Paric Corp
Contact: Michael Boschert
Phone:
Fax:

Architect Information
Name:
Contact:
Phone:
Fax:

CANNONDESIGN

SUBMITTAL IDENTIFICATION SHEET

To be completed by Contractor/CM

WEBSTER UNIVERSITY ISB
PROJECT NAME

8274 BIG BEND BLVD
ADDRESS

NUMBER

WEBSTER UNIVERSITY
OWNER

CANNON DESIGN
ARCHITECT / ENGINEER

DEVIN D GATES
SUBMITTED BY

092900-010
CONTRACTOR / CM SUBMITTAL NO.

CANNON DESIGN SUBMITTAL NO.

DRAWING / DETAIL REFERENCE

092900
SPECIFICATION SECTION / PARAGRAPH

MANUFACTURER / SUPPLIER

ITEM / PRODUCT ID

REQUIRED DATE

PRIORITY

CRITICAL

ITEM BEING SUBMITTED (check only one)

- ○ Shop Drawings
- ○ Samples (_____ copies)
- ○ LEED Submittal
- ○ Certification / Qualifications
- ○ Record Documents
- ○ Product Data
- ○ Coordination Drawing
- ○ Calculations
- ○ Schedules
- ○ O&M Manuals
- ○ Other _____

ITEM BEING SUBMITTED FOR (check only one)

- ◉ Action
- ○ Information Only
- ○ Record

REMARKS OR DEVIATIONS

Control joint product data

CONTRACTOR / CM CERTIFICATION
(SUBMITTALS NOT CERTIFIED WILL BE RETURNED WITHOUT REVIEW)

PARIC

PARIC CORPORATION
SUBMITTAL STAMP

THIS SHOP DRAWING HAS BEEN REVIEWED BY PARIC CORPORATION

Subcontractor remains responsible for dimensions, quantities, coordination with other trades and compliance with contract documents.

By:
Devin D. Gates

DEVIN D GATES — 02/07/17
REVIEWED BY — DATE

To be completed by Reviewer

09 2900-010
CANNON DESIGN SUBMITTAL NUMBER

2/9/17
RECEIVED DATE

- ◉ A. No Exceptions Taken
  No further review of submittal is required.
- ○ B. Make Corrections Noted
  Incorporate corrections in work; resubmission is not required.
- ○ C. Revise and Resubmit
  Revise as noted, and resubmit for review.
- ○ D. Rejected
  Submittal is not in compliance with Contract Documents; provide new submittal.
- ○ E. For Record / Information Only
  Submittal was reviewed for Record / Information purposes only.
- ○ F. Not Required for Review
  Submittal is not required by Contract Documents and has not been reviewed.

Review is for conformance with the design concept of this project and for general compliance with contract documents. Contractor is responsible for quantities, dimensions and compliance with contract documents and for information that pertains to fabrication processes, construction techniques and coordination of this work with all trades which will be affected thereby. This review is null and void if submittal deviates from contract documents and does not indicate or note deviations.

A/E COMMENTS ○ See attached sheet(s) for additional comments

Kelvin Patel — Digitally signed by Kelvin Patel DN: C=US, E=kpatel@cannondesign.com, O=Cannon Design, OU=Architect, CN=Kelvin Patel Date: 2017.02.16 16:27:48-06'00' — 2/16/17
REVIEWED BY — DATE