CertainTeed SAINT-GOBAIN Ceilings

PERFORMA®

Rx Symphony® *m*

VOC Compliant

LOW VOC

$$$$

LEED® v4

- MR: Environmental Product Declarations (EPDs)
- MR: Sourcing Raw Materials
- MR: Material Ingredients (HPDs)
- IEQ: Daylight
- IEQ: Low-Emitting Materials
- IEQ: Prereq. Min. Acoustic Performance (Schools)
- IEQ: Acoustic Performance
- MR: PBT Source Reduction (Healthcare)
- IEQ: Interior Lighting
- EA: Prereq. Min. Energy Performance
- EA: Optimize Energy Performance
- Recycled Content Pre: **62%** | Post: **0%**

TOOLS

Visit CertainTeed.com/Ceilings
Download HPDs and EPDs
LEED® Information / BIM Objects
3-Part Specs / Data Pages

Recycled Content

EPD Available

Health Product DECLARATION

HPD Available



RXS Finish

FEATURES & BENEFITS

- Superior noise reduction to maximize inter-zone attenuation
- Outstanding acoustical value, high light reflectance and humidity resistance
- Exceptional durability
- Superior stain resistance and water repellency
- Washable with most sanitizing solutions and wash tested to 2,000 wash cycles and 500 scrub cycles
- Exceeds FGI Guidelines for cleanability and acoustic performance in most healthcare applications
- Satisfies USDA/FSIS guidelines for sanitary applications (commercial kitchens)
- Approved for use in federally registered Canadian food establishments
- Health Product Declaration (HPD) available for this product
- Certified clean room component to ISO Class 3 (Highest among comparable products)

APPLICATIONS

- Patient Rooms
- Emergency Rooms
- Lavatories and Restrooms
- Treatment Rooms
- Corridors
- Kitchen / Food Prep Areas
- Nurses' Stations
- Semi-Restricted Surgical Areas
- Other Commercial Buildings / Space Applications

AVAILABLE EDGE DETAILS



Trim 15/16 Grid

Reveal Beveled 15/16 Grid

Narrow Reveal Corner Bevel 9/16 Grid

Narrow Reveal Corner Bevel 9/16 Grid Bolt Slot

ATTRIBUTES

RX SYMPHONY® M	DIMENSIONS (INCHES)	EDGE DETAIL	NRC	CAC	EPD AVAILABLE	HPD AVAILABLE	SAG RESISTANT	MOLD RESISTANT	LR	WASHABLE	WASHABLE WITH SANITIZING CHEMICALS	FIRE CLASS (ASTM E1264)	EMISSION COMPLIANT	RECYCLED CONTENT
1222-RXS-1	24 x 24 x 3/4	Trim	0.70	35	Yes	Yes	Yes	Bioshield	0.90	Yes	Yes	Class A	Certified	62%
1222b-RXS-1	24 x 24 x 3/4	Reveal	0.70	35	Yes	Yes	Yes	Bioshield	0.90	Yes	Yes	Class A	Certified	62%
APC-3A **1222f-RXS-1**	24 x 24 x 3/4	Narrow Reveal	0.70	35	Yes	Yes	Yes	Bioshield	0.90	Yes	Yes	Class A	Certified	62%
1220-RXS-1	24 x 24 x 3/4	Trim	0.70	35	Yes	Yes	Yes	Bioshield	0.90	Yes	Yes	Class A	Certified	62%
1220b-RXS-1	24 x 24 x 3/4	Reveal	0.70	35	Yes	Yes	Yes	Bioshield	0.90	Yes	Yes	Class A	Certified	62%
1220f-RXS-1	24 x 48 x 3/4	Narrow Reveal	0.70	35	Yes	Yes	Yes	Bioshield	0.90	Yes	Yes	Class A	Certified	62%

CAN'T FIND A SIZE? Contact your local Sales Representative or call 800-233-8990

PHYSICAL DATA

MATERIAL
Mineral Fiber

ASTM E1264 CLASSIFICATION
Type IV, Form 2, Pattern E

FIRE CLASS (ASTM E1264)
Tested according to ASTM E84 & CAN S102
Flame Spread: 25 or less
Smoke Developed: 50 or less

VOC EMISSIONS
Independently certified compliant with California Department of Public Health CDPH/EHLB/Standard Method Version 1.1, 2010.

MOLD/MILDEW RESISTANCE
BioShield® treatment included for added mold and mildew resistance.

MAINTENANCE
Wipe with a soft cloth or vacuum with brush attachment. Cleanable with sanitizing chemicals.

WARRANTY
10-year 104/90 Limited Warranty

© 12/15 CertainTeed Corporation

CertainTeed SAINT-GOBAIN Ceilings

CEILING CENTER
12964 St Charles Rock Rd
Bridgeton, MO. 63044
Phone 314/298-2502 EXT 102
Fax 314/739-1720

ACOUSTICAL CEILINGS SUBMITTALS

PROJECT:
WEBSTER UNIVERSITY
INTERDISCIPLINARY SCIENCE BUILDING
8274 BIG BEND BLVD
WEBSTER GROVES, MO. 63119

GENERAL CONTRACTOR:
PARIC CONSTRUCTION
77 WESTPORT PLAZA
SUITE 250
ST LOUIS, MO. 63146

ACOUSTICAL CONTRACTOR:
ST CHARLES ACOUSTICS L.L.C

ACOUSTICAL MATERIALS

BOARD/TILE APC-1:	Certainteed 24” x 24” x 1” Narrow Reveal Edge Symphony F Item# 1342F-IOF-1
BOARD/TILE APC-2:	Certainteed 24” x 48” x 3/4” Narrow Reveal Edge Symphony M Item# 1220BF-IOF-1
BOARD/TILE APC-3A:	Certainteed 24” x 24” x 3/4” Narrow Reveal Edge Symphony M RXS Item# 1222F-RXS-1
BOARD/TILE APC-3B:	Certainteed 24” x 24” x 3/4” Square Edge Symphony M RXS Item# 1222-RXS-1
BOARD/TILE APC-5:	Certainteed 24” x 24” x 5/8” Square Edge Fine Fissured Item# HHF-157
BOARD/TILE APC-7:	Certainteed 24” x 48” x 3/4” Narrow Reveal Edge Symphony M Item# 1220BF-IOF-1
BOARD/TILE APC-8:	Certainteed 24” x 72” x 9/16” Narrow Reveal Edge Ecophon Gedina E 24 Item# 3540 4350
BOARD/TILE APC-9:	Certainteed 24” x 48” x 3/4” Narrow Reveal Edge Symphony M Item# 1220BF-IOF-1 with Kinetics Quiet tile

SUSPENSION SYS. FOR APC1/3A/3B	Certainteed Elite Narrow Stab Grid System Item ES12-12-18 Color White
SUSPENSION SYS. FOR APC2/7/8/9:	Chicago Metallic 4600 Ultraline Bolt Slot Grid System Item 4600-01 Color White
SUSPENSION SYS. FOR APC5:	Certainteed Classic Stab Grid System Item CS12-12-15 Color White

CANNONDESIGN

SUBMITTAL IDENTIFICATION SHEET

To be completed by Contractor/CM

WEBSTER UNIVERSITY ISB
PROJECT NAME

8274 BIG BEND BLVD
ADDRESS

NUMBER

WEBSTER UNIVERSITY
OWNER

CANNON DESIGN
ARCHITECT / ENGINEER

Joe Voypick
SUBMITTED BY

095113-001
CONTRACTOR / CM SUBMITTAL NO.

CANNON DESIGN SUBMITTAL NO.

DRAWING / DETAIL REFERENCE

095113
SPECIFICATION SECTION / PARAGRAPH

St Charles Acoustica
MANUFACTURER / SUPPLIER

ITEM / PRODUCT ID

REQUIRED DATE

PRIORITY

◯ CRITICAL

ITEM BEING SUBMITTED (check only one)

- ◯ Shop Drawings
- ◯ Samples (_____ copies)
- ◯ LEED Submittal
- ◯ Certification / Qualifications
- ◯ Record Documents
- ◉ Product Data
- ◯ Coordination Drawing
- ◯ Calculations
- ◯ Schedules
- ◯ O&M Manuals
- ◯ Other _____

ITEM BEING SUBMITTED FOR (check only one)

◉ Action ◯ Information Only ◯ Record

REMARKS OR DEVIATIONS

CONTRACTOR / CM CERTIFICATION
(SUBMITTALS NOT CERTIFIED WILL BE RETURNED WITHOUT REVIEW)

PARIC

PARIC CORPORATION
SUBMITTAL STAMP

THIS SHOP DRAWING HAS BEEN REVIEWED BY PARIC CORPORATION

Subcontractor remains responsible for dimensions, quantities, coordination with other trades and compliance with contract documents.

By:
Devin D. Gates

Joe Voypick
REVIEWED BY

12/6/16
DATE

To be completed by Reviewer

CANNON DESIGN SUBMITTAL NUMBER

RECEIVED DATE

- ◯ A. No Exceptions Taken
  No further review of submittal is required.
- ◯ B. Make Corrections Noted
  Incorporate corrections in work; resubmission is not required.
- ◯ C. Revise and Resubmit
  Revise as noted, and resubmit for review.
- ◯ D. Rejected
  Submittal is not in compliance with Contract Documents; provide new submittal.
- ◯ E. For Record / Information Only
  Submittal was reviewed for Record / Information purposes only.
- ◯ F. Not Required for Review
  Submittal is not required by Contract Documents and has not been reviewed.

Review is for conformance with the design concept of this project and for general compliance with contract documents. Contractor is responsible for quantities, dimensions and compliance with contract documents and for information that pertains to fabrication processes, construction techniques and coordination of this work with all trades which will be affected thereby. This review is null and void if submittal deviates from contract documents and does not indicate or note deviations.

A/E COMMENTS ◯ See attached sheet(s) for additional comments

REVIEWED BY

DATE

77 Westport Plaza
Suite 250
St. Louis, MO 63146

TRANSMITTAL

No. 15051-0380

Paric Corporation

PROJECT: 15051-Webster University Interdisciplinary Science Building

DATE: 12/06/2016

TO: Cannon Design
1100 Clark Ave
St Louis MO 63102

Fax;
314-241-2203

RE: Acoustical Panel Ceiling Product Data

ATTN: Kelvin Patel

JOB: 15051

WE ARE SENDING:	SUBMITTED FOR:	ACTION TAKEN:
☐ Shop Drawings	☑ Approval	☐ Approved as Submitted
☐ Letter	☐ Your Use	☐ Approved as Noted
☐ Prints	☐ As Requested	☐ Returned After Loan
☐ Change Order	☐ Review and Comment	☐ Resubmit
☐ Plans		☐ Submit
☐ Samples	**SENT VIA:**	☐ Returned
☐ Specifications	☐ Attached	☐ Returned for Corrections
☑ Other: Product Data	☐ Separate Cover Via:	☐ Due Date:

Item	*Package*	*Code*	*Rev.*	*Copies*	*Date*	*Description*	*Status*
Submittal		095113-006	1		12/06/2016	Acoustical Panel Ceiling Product Data	Submitted

NOTES:

CC:

Signed: _____

Devin Gates

Webster University Interdisciplinary Science Building

Generated on:	September 22, 2016
Gross square feet:	49,000
Address:	8274 Big Bend Webster Groves, Missouri 63119
Total product price:	**$115,750 USD**

Price should reflect final product cost excluding installation.

Product Summary

Performa® VOC Compliant Symphony F Narrow Reveal	**Quantity:**17,000 SF	**Price:**$ 1.25 USD/ SF	**Extended Price:**$ 21,250 USD
Performa® Symphony M Narrow Reveal	**Quantity:**26,700 SF	**Price:**$ 1.20 USD/ SF	**Extended Price:**$ 32,040 USD
Performa® Rx Symphony M Narrow Reveal	**Quantity:**1,200 SF	**Price:**$ 1.20 USD/ SF	**Extended Price:**$ 1,440 USD
Performa® Fine Fissured Trim	**Quantity:**1,400 SF	**Price:**$ 0.40 USD/ SF	**Extended Price:**$ 560 USD
Ecophon Gedina E/15 XL	**Quantity:**3,600 SF	**Price:**$ 3.00 USD/ SF	**Extended Price:**$ 10,800 USD
Performa® Rx Symphony M Trim	**Quantity:**1,200 SF	**Price:**$ 1.20 USD/ SF	**Extended Price:**$ 1,440 USD
9/16" Elite Narrow Stab Main Runner	**Quantity:**5,448 LF	**Price:**$ 0.65 USD/ LF	**Extended Price:**$ 3,541 USD
15/16" Classic Stab Main Runner	**Quantity:**360 LF	**Price:**$ 0.50 USD/ LF	**Extended Price:**$ 180 USD
15/16" Classic Stab Cross Tee	**Quantity:**0 LF	**Price:**$ 720.00 USD/ LF	**Extended Price:**$ 0 USD
9/16" Elite Narrow Stab Cross Tee	**Quantity:**10,896 LF	**Price:**$ 0.65 USD/ LF	**Extended Price:**$ 7,082 USD
9/16" Elite Narrow Stab Cross Tee	**Quantity:**5,448 LF	**Price:**$ 0.65 USD/ LF	**Extended Price:**$ 3,541 USD
15/16" Classic Stab Cross Tee	**Quantity:**360 LF	**Price:**$ 0.50 USD/ LF	**Extended Price:**$ 180 USD
15/16" Traditional Wall Angle	**Quantity:**9,600 LF	**Price:**$ 0.36 USD/ LF	**Extended Price:**$ 3,456 USD
9/16" Smoothline Bolt Slot Main Runner	**Quantity:**7,560 LF	**Price:**$ 1.00 USD/ LF	**Extended Price:**$ 7,560 USD
9/16" Smoothline Bolt Slot Cross Tee	**Quantity:**7,560 LF	**Price:**$ 1.00 USD/ LF	**Extended Price:**$ 7,560 USD
9/16" Smoothline Bolt Slot Cross Tee	**Quantity:**15,120 LF	**Price:**$ 1.00 USD/ LF	**Extended Price:**$ 15,120 USD

Project Contribution Summary