



LIGHTING & CONTROLS
REPRESENTATIVES

Qut Cd D17-0024

To

Melissa Carrini

Villa Lighting Supply

2929 Chouteau Ave

St Louis, MO 63103-2903

PH: (314) 531-2600 Fax (314) 531-8720

Project

Job/Project Name:

WEBSTER TYPE EB

Entry Date: 4/5/2017

Qty	Type	Mfg	Description
		LEDL	VARIOLED HYDRA LD10 W825 (3300K) IP67 IN
		LEDL	003 CONTOUR W/ 30 DEG DIFFUSE LENS
		LEDL	1 RUN @ 17'
		LEDL	ACTUAL LENGTH = 16.65'
		LEDL	THE 17' LENGTH WILL BE MADE OF 4 X 4.16' PIECES
2	EB-17'	LEDL	VARIOLED HYDRA LD10 W825/1269MM IP67 IN
		LEDL	003 W/ 60 DEG DIFFUSE LENS, 500MM BLACK
		LEDL	OPEN ON ONE END AND FEMALE BLACK CONNECT
2		LEDL	VARIOLED HYDRA LD10 W825/1269MM IP67 IN
		LEDL	003 W/ 60 DEG DIFFUSE LENS, MALE BLACK
		LEDL	CONNECT ONLY
16		LEDL	VARIOCLIPS 003/006 45 DEG.
		LEDL	13000006-45
1		SSLT	HLG-60H-24A
		SSLT	60w 24v LED driver 90-305vac (on/off)
1		LEDL	LINEAR DRIVE DC 211D-LG
		LEDL	
		LEDL	1 RUN @ 19'-5" (19.41')
		LEDL	ACTUAL LENGTH = 18.64'
		LEDL	THE 19'-5" LENGTH WILL BE MADE OF 3 X 6.21'
		LEDL	PIECES
1	EB-19'-5"	LEDL	VARIOLED HYDRA LD10 W825/1894MM IP67 IN
		LEDL	003 W/ 60 DEG DIFFUSE LENS, 500MM BLACK
		LEDL	OPEN ON ONE END AND FEMALE BLACK CONNECT
1		LEDL	VARIOLED HYDRA LD10 W825/1894MM IP67 IN
		LEDL	003 W/ 60 DEG DIFFUSE LENS, MALE BLACK
		LEDL	CONNECT ONLY
1		LEDL	VARIOLED HYDRA LD10 W825/1894MM IP67 IN
		LEDL	003 W/ 60 DEG DIFFUSE LENS, 500MM BLACK
		LEDL	OPEN ON ONE END ONLY

18	LEDL	VARIOCLIPS 003/006 45 DEG.
	LEDL	13000006-45
1	SSLT	HLG-80H-24A
	SSLT	80w 24v LED driver 90-305vac (on/off)
1	LEDL	LINEAR DRIVE DC 211D-LG
	LEDL	
	LEDL	3 RUNS @ 15'-9" (15.75')
	LEDL	ACTUAL LENGTH = 15.36'
	LEDL	EACH 15'-9" LENGTH WILL BE MADE OF 2 X 4.98'
	LEDL	+ 1 X 5.39' PIECES
3 EB-15'-9"	LEDL	VARIOLED HYDRA LD10 W825/1519MM IP67 IN
	LEDL	003 W/ 60 DEG DIFFUSE LENS, 500MM BLACK
	LEDL	OPEN ON ONE END AND FEMALE BLACK CONNECT
3	LEDL	VARIOLED HYDRA LD10 W825/1644MM IP67 IN
	LEDL	003 W/ 60 DEG DIFFUSE LENS
3	LEDL	VARIOLED HYDRA LD10 W825/1519MM IP67 IN
	LEDL	003 W/ 60 DEG DIFFUSE LENS, MALE BLACK
	LEDL	CONNECT ONLY
45	LEDL	VARIOCLIPS 003/006 45 DEG.
	LEDL	13000006-45
3	SSLT	HLG-60H-24A
	SSLT	60w 24v LED driver 90-305vac (on/off)
3	LEDL	LINEAR DRIVE DC 211D-LG
	LEDL	
	LEDL	1 RUN @ 13'-6" (13.5')
	LEDL	ACTUAL LENGTH = 13.31'
	LEDL	THE 13'-6" LENGTH WILL BE MADE OF 2 X 4.57' +
	LEDL	1 X 4.16' PIECES
1 EB-13'-6"	LEDL	VARIOLED HYDRA LD10 W825/1394MM IP67 IN
	LEDL	003 W/ 60 DEG DIFFUSE LENS, 500MM BLACK
	LEDL	OPEN ON ONE END AND FEMALE BLACK CONNECT
1	LEDL	VARIOLED HYDRA LD10 W825/1269MM IP67 IN
	LEDL	003 W/ 60 DEG DIFFUSE LENS
1	LEDL	VARIOLED HYDRA LD10 W825/1394MM IP67 IN
	LEDL	003 W/ 60 DEG DIFFUSE LENS, MALE BLACK
	LEDL	CONNECT ONLY
12	LEDL	VARIOCLIPS 003/006 45 DEG.
	LEDL	13000006-45
1	SSLT	HLG-60H-24A
	SSLT	60w 24v LED driver 90-305vac (on/off)
1	LEDL	LINEAR DRIVE DC 211D-LG
	LEDL	
	LEDL	1 RUN @ 11'-1" (11.08')
	LEDL	ACTUAL LENGTH = 10.78'
	LEDL	THE 11'-1" LENGTH WILL BE MADE OF 2 X 5.39'
	LEDL	PIECES
1 EB-11'-1"	LEDL	VARIOLED HYDRA LD10 W825/1644MM IP67 IN

	LEDL	003 W/ 60 DEG DIFFUSE LENS, 500MM BLACK
	LEDL	OPEN ON ONE END AND FEMALE BLACK CONNECT
1	LEDL	VARIOLED HYDRA LD10 W825/1644MM IP67 IN
	LEDL	003 W/ 60 DEG DIFFUSE LENS, MALE BLACK
	LEDL	CONNECT ONLY
10	LEDL	VARIOCLIPS 003/006 45 DEG.
	LEDL	13000006-45
1	SSLT	HLG-60H-24A
	SSLT	60w 24v LED driver 90-305vac (on/off)
1	LEDL	LINEAR DRIVE DC 211D-LG
	LEDL	1 RUN @ 15'-6" (15.5')
	LEDL	ACTUAL LENGTH = 15.36'
	LEDL	THE 15'-6" LENGTH WILL BE MADE OF 2 X 4.98' +
	LEDL	1 X 5.39' PIECES
1 EB-15'-6"	LEDL	VARIOLED HYDRA LD10 W825/1519MM IP67 IN
	LEDL	003 W/ 60 DEG DIFFUSE LENS, 500MM BLACK
	LEDL	OPEN ON ONE END AND FEMALE BLACK CONNECT
1	LEDL	VARIOLED HYDRA LD10 W825/1644MM IP67 IN
	LEDL	003 W/ 60 DEG DIFFUSE LENS
1	LEDL	VARIOLED HYDRA LD10 W825/1519MM IP67 IN
	LEDL	003 W/ 60 DEG DIFFUSE LENS, MALE BLACK
	LEDL	CONNECT ONLY
15	LEDL	VARIOCLIPS 003/006 45 DEG.
	LEDL	13000006-45
1	SSLT	HLG-60H-24A
	SSLT	60w 24v LED driver 90-305vac (on/off)
1	LEDL	LINEAR DRIVE DC 211D-LG
	LEDL	
	LEDL	1 RUN @ 15'-10" (15.83')
	LEDL	ACTUAL LENGTH = 15.77'
	LEDL	THE 15'-10" LENGTH WILL BE MADE OF 2 X 5.39'
	LEDL	+ 1 X 4.98' PIECES
1 EB-15'-10"	LEDL	VARIOLED HYDRA LD10 W825/1644MM IP67 IN
	LEDL	003 W/ 60 DEG DIFFUSE LENS, 500MM BLACK
	LEDL	OPEN ON ONE END AND FEMALE BLACK CONNECT
1	LEDL	VARIOLED HYDRA LD10 W825/1519MM IP67 IN
	LEDL	003 W/ 60 DEG DIFFUSE LENS
1	LEDL	VARIOLED HYDRA LD10 W825/1644MM IP67 IN
	LEDL	003 W/ 60 DEG DIFFUSE LENS, MALE BLACK
	LEDL	CONNECT ONLY
15	LEDL	VARIOCLIPS 003/006 45 DEG.
	LEDL	13000006-45
1	SSLT	HLG-60H-24A
	SSLT	60w 24v LED driver 90-305vac (on/off)
1	LEDL	LINEAR DRIVE DC 211D-LG
	LEDL	
	LEDL	1 RUN @ 15'-7" (15.58')

	LEDL	ACTUAL LENGTH = 15.36'
	LEDL	THE 15'-7" LENGTH WILL BE MADE OF 2 X 4.98' +
	LEDL	1 X 5.39' PIECES
1	EB-15'-7"	LEDL VARIOLED HYDRA LD10 W825/1519MM IP67 IN
	LEDL	003 W/ 60 DEG DIFFUSE LENS, 500MM BLACK
	LEDL	OPEN ON ONE END AND FEMALE BLACK CONNECT
1	LEDL	VARIOLED HYDRA LD10 W825/1644MM IP67 IN
	LEDL	003 W/ 60 DEG DIFFUSE LENS
1	LEDL	VARIOLED HYDRA LD10 W825/1519MM IP67 IN
	LEDL	003 W/ 60 DEG DIFFUSE LENS, MALE BLACK
	LEDL	CONNECT ONLY
15	LEDL	VARIOCLIPS 003/006 45 DEG.
	LEDL	13000006-45
1	SSLT	HLG-60H-24A
	SSLT	60w 24v LED driver 90-305vac (on/off)
1	LEDL	LINEAR DRIVE DC 211D-LG
	LEDL	
	LEDL	2 RUNS @ 14'-6" (14.5')
	LEDL	ACTUAL LENGTH = 14.13'
	LEDL	EACH 14'-6" LENGTH WILL BE MADE OF 2 X 4.57'
	LEDL	+ 1 X 4.98' PIECES
2	EB-14'-6"	LEDL VARIOLED HYDRA LD10 W825/1394MM IP67 IN
	LEDL	003 W/ 60 DEG DIFFUSE LENS, 500MM BLACK
	LEDL	OPEN ON ONE END AND FEMALE BLACK CONNECT
2	LEDL	VARIOLED HYDRA LD10 W825/1519MM IP67 IN
	LEDL	003 W/ 60 DEG DIFFUSE LENS
2	LEDL	VARIOLED HYDRA LD10 W825/1394MM IP67 IN
	LEDL	003 W/ 60 DEG DIFFUSE LENS, MALE BLACK
	LEDL	CONNECT ONLY
24	LEDL	VARIOCLIPS 003/006 45 DEG.
	LEDL	13000006-45
2	SSLT	HLG-60H-24A
	SSLT	60w 24v LED driver 90-305vac (on/off)
2	LEDL	LINEAR DRIVE DC 211D-LG
	LEDL	
	LEDL	1 RUN @ 9'-8" (9.66')
	LEDL	ACTUAL LENGTH = 9.55'
	LEDL	THE 9'-8" LENGTH WILL BE MADE OF 1 X 4.57' +
	LEDL	1 X 4.98' PIECES
1	EB-9'-8"	LEDL VARIOLED HYDRA LD10 W825/1394MM IP67 IN
	LEDL	003 W/ 60 DEG DIFFUSE LENS, 500MM BLACK
	LEDL	OPEN ON ONE END AND FEMALE BLACK CONNECT
1	LEDL	VARIOLED HYDRA LD10 W825/1519MM IP67 IN
	LEDL	003 W/ 60 DEG DIFFUSE LENS, MALE BLACK
	LEDL	CONNECT ONLY
8	LEDL	VARIOCLIPS 003/006 45 DEG.
	LEDL	13000006-45

1	SSLT	HLG-40H-24A
	SSLT	40w 24v LED driver 90-305vac (on/off)
1	LEDL	LINEAR DRIVE DC 211D-LG
	LEDL	THE FOLLOWING ARE 6M IP68 CABLES. 1 PER RUN
	LEDL	(RUN SET UP) AS REQUIRED.
300	LEDL	VARIOCABLE MONO 2 X 0.34 MM2 IP68 - PER FT
	LEDL	14000030
	LEDL	THE ABOVE ITEM TO BE DONE IN 15 X 6M PIECES