



Qut Cd B17-0086

To
 Villa Lighting Supply
 2929 Chouteau Ave
 St Louis, MO 63103-2903
 PH: (314) 531-2600 Fax (314) 531-8720

Project
 Job/Project Name:
 WEBSTER ISB- TYPE SA

Qty	Type	Mfg	Description
Note	NOTE		Start of Import
Note			XOOLINE HYDRA LD25 W830 IP40 W/ LOW DIFFUSE LENS
Note		LEDL	ROOM 491
4	SA-29'-2"	LEDL	XOOLINE HYD LD25 830/1880-DL-C002-IP40 length - 6.16'
1		LEDL	CUSTOM XOOLINE HYD LD25 830/1380-DL- C002-IP40 length - 4.52'
Note		LEDL	EACH PIECE MUST HOME RUN BACK TO POWER SUPPLY
5		LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
5		LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
5		SSLT	HLG-60H-24A 60w 24v LED driver 90-305vac (on/off)
Note		LEDL	MAXIMUM 1 X 6.16' PIECES PER 60W POWER SUPPLY
5		LEDL	LINEAR DRIVE DC 211D-LG
Note		LEDL	ROOM 489
1	SA-9'-5"	LEDL	XOOLINE HYD LD25 830/0380-DL-C002-IP40 length - 1.24'
2		LEDL	XOOLINE HYD LD25 830/1255-DL-C002-IP40 length - 4.11'
1		LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
1		LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1		SSLT	HLG-100H-24A 100w 24v LED driver 90-305vac (on/off)
1		LEDL	LINEAR DRIVE DC 211D-LG
Note		LEDL	ROOM 483
4	SA-29'-11"	LEDL	XOOLINE HYD LD25 830/1880-DL-C002-IP40 length - 6.16'
1		LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL- C002-IP40 length - 2.88'
Note		LEDL	CONNECT MAXIMUM 1 X 6.16' + 1 X 2.88' PIECES IN SERIES
4		LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142

4	LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
3	SSLT	HLG-60H-24A 60w 24v LED driver 90-305vac (on/off)
Note	LEDL	MAXIMUM 1 X 6.16' PIECES PER 60W POWER SUPPLY
1	SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
Note	LEDL	MAXIMUM 1 X 6.16' + 1 X 2.88' PIECES PER 80W POWER SUPPLY
4	LEDL	LINEAR DRIVE DC 211D-LG
Note	LEDL	ROOM 452
3 SA-8'-11"	LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL- C002-IP40 length - 2.88'
1	LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
1	LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1	SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
1	LEDL	LINEAR DRIVE DC 211D-LG
Note	LEDL	ROOM 454
3 SA-8'-11"	LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL- C002-IP40 length - 2.88'
1	LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
1	LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1	SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
1	LEDL	LINEAR DRIVE DC 211D-LG
Note	LEDL	ROOM 456
3 SA-8'-11"	LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL- C002-IP40 length - 2.88'
1	LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
1	LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1	SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
1	LEDL	LINEAR DRIVE DC 211D-LG
Note	LEDL	ROOM 407
1 SA-18'-11"	LEDL	XOOLINE HYD LD25 830/1880-DL-C002-IP40 length - 6.16'
3	LEDL	XOOLINE HYD LD25 830/1255-DL-C002-IP40 length - 4.11'
Note	LEDL	CONNECT MAXIMUM 2 X 4.11' PIECES IN SERIES
3	LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
3	LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218

1	SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
Note	LEDL	MAXIMUM 2 X 4.11' PIECES PER 80W POWER SUPPLY
2	SSLT	HLG-60H-24A 60w 24v LED driver 90-305vac (on/off)
Note	LEDL	MAXIMUM 1 X 6.16' PIECES PER 60W POWER SUPPLY
3	LEDL	LINEAR DRIVE DC 211D-LG
Note	LEDL	ROOM 405
3 SA-8'-10"	LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL-C002-IP40 length - 2.88'
1	LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
1	LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1	SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
1	LEDL	LINEAR DRIVE DC 211D-LG
Note	LEDL	ROOM 403 CURVED
4 SA-8'	LEDL	XOOLINE HYD LD25 830/0380-DL-C002-IP40 length -14.96" each
1	LEDL	XOOLINE HYD LD25 830/0880-DL-C002-IP40
1	LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
1	LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1	SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
1	LEDL	LINEAR DRIVE DC 211D-LG
Note	LEDL	ROOM 401 CURVED
4 SA-17'	LEDL	XOOLINE HYD LD25 830/0380-DL-C002-IP40 length - 14.96"e
4	LEDL	XOOLINE HYD LD25 830/0630-DL-C002-IP40 length - 2.06'
Note	LEDL	CONNECT MAXIMUM 1 X 4.11' + 2 X 2.06' PIECES IN SERIES
2	LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
2	LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
2	SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
Note	LEDL	MAXIMUM 1 X 4.11' + 2 X 2.06' PIECES PER 80W POWER SUPPLY
2	LEDL	LINEAR DRIVE DC 211D-LG
Note	LEDL	ROOM 354
2 SA-14'-3"	LEDL	XOOLINE HYD LD25 830/1255-DL-C002-IP40 length - 4.11'
2	LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL-C002-IP40 length - 2.88'
Note	LEDL	CONNECT MAXIMUM 2 X 4.11' PIECES IN SERIES
2	LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67

		15000142
2	LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO
		15000218
1	SSLT	HLG-80H-24A
		80w 24v LED driver 90-305vac (on/off)
Note	LEDL	MAXIMUM 2 X 4.11' PIECES PER 80W POWER SUPPLY
1	SSLT	HLG-60H-24A
		60w 24v LED driver 90-305vac (on/off)
Note	LEDL	MAXIMUM 2 X 2.88' PIECES PER 60W POWER SUPPLY
2	LEDL	LINEAR DRIVE DC 211D-LG
Note	LEDL	ROOM 352
5 SA-23'-11"	LEDL	XOOLINE HYD LD25 830/1255-DL-C002-IP40 length - 4.11'
1	LEDL	XOOLINE HYD LD25 830/0630-DL-C002-IP40 length - 2.06'
1	LEDL	XOOLINE HYD LD25 830/0380-DL-C002-IP40 length - 1.24'
Note	LEDL	CONNECT MAXIMUM 2 X 4.11' PIECES IN SERIES
3	LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67
		15000142
3	LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO
		15000218
3	SSLT	HLG-80H-24A
		80w 24v LED driver 90-305vac (on/off)
Note	LEDL	MAXIMUM 2 X 4.11' PIECES PER 80W POWER SUPPLY
3	LEDL	LINEAR DRIVE DC 211D-LG
Note	LEDL	ROOM 348
3 SA-8'-11"	LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL-C002-IP40 length - 2.88'
1	LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67
		15000142
1	LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO
		15000218
1	SSLT	HLG-80H-24A
		80w 24v LED driver 90-305vac (on/off)
1	LEDL	LINEAR DRIVE DC 211D-LG
Note	LEDL	ROOM 346
3 SA-8'-11"	LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL-C002-IP40 length - 2.88'
1	LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67
		15000142
1	LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO
		15000218
1	SSLT	HLG-80H-24A
		80w 24v LED driver 90-305vac (on/off)
1	LEDL	LINEAR DRIVE DC 211D-LG
Note	LEDL	ROOM 344
3 SA-8'-11"	LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL-C002-IP40 length - 2.88'

1	LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
1	LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1	SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
1	LEDL	LINEAR DRIVE DC 211D-LG
Note	LEDL	ROOM 342
2 SA-12'-7"	LEDL	XOOLINE HYD LD25 830/1880-DL-C002-IP40 length - 6.16'
Note	LEDL	EACH LENGTH MUST HOME RUN BACK TO POWER SUPPLY
2	LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
2	LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
2	SSLT	HLG-60H-24A 60w 24v LED driver 90-305vac (on/off)
Note	LEDL	MAXIMUM 1 X 6.16' PIECE PER 60W POWER SUPPLY
2	LEDL	LINEAR DRIVE DC 211D-LG
Note	LEDL	ROOM 342
1 SA-11'	LEDL	XOOLINE HYD LD25 830/1880-DL-C002-IP40 length - 6.16'
1	LEDL	CUSTOM XOOLINE HYD LD25 830/1380-DL- C002-IP40 length - 4.52'
Note	LEDL	EACH LENGTH MUST HOME RUN BACK TO POWER SUPPLY
2	LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
2	LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1	SSLT	HLG-100H-24A 100w 24v LED driver 90-305vac (on/off)
1	LEDL	LINEAR DRIVE DC 211D-LG
Note	LEDL	ROOM 339
2 SA-13'-2"	LEDL	XOOLINE HYD LD25 830/1255-DL-C002-IP40 length - 4.11'
2	LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL- C002-IP40 length - 2.88'
Note	LEDL	CONNECT MAXIMUM 2 X 4.11' PIECES IN SERIES
2	LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
2	LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1	SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
Note	LEDL	MAXIMUM 2 X 4.11' PIECES PER 80W POWER SUPPLY
1	SSLT	HLG-60H-24A 60w 24v LED driver 90-305vac (on/off)
Note	LEDL	MAXIMUM 2 X 2.88' PIECES PER 60W POWER SUPPLY
2	LEDL	LINEAR DRIVE DC 211D-LG

Note		LEDL	ROOM 337
3	SA-8'-11"	LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL-C002-IP40 length - 2.88'
1		LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
1		LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1		SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
1		LEDL	LINEAR DRIVE DC 211D-LG
Note		LEDL	ROOM 335
3	SA-8'-11"	LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL-C002-IP40 length - 2.88'
1		LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
1		LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1		SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
1		LEDL	LINEAR DRIVE DC 211D-LG
Note		LEDL	ROOM 333
3	SA-8'-11"	LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL-C002-IP40 length - 2.88'
1		LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
1		LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1		SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
1		LEDL	LINEAR DRIVE DC 211D-LG
Note		LEDL	ROOM 331
3	SA-8'-11"	LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL-C002-IP40 length - 2.88'
1		LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
1		LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1		SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
1		LEDL	LINEAR DRIVE DC 211D-LG
Note		LEDL	ROOM 329
3	SA-8'-11"	LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL-C002-IP40 length - 2.88'
1		LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
1		LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1		SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
1		LEDL	LINEAR DRIVE DC 211D-LG

Note		LEDL	ROOM 327
3	SA-8'-11"	LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL-C002-IP40 length - 2.88'
1		LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
1		LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1		SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
1		LEDL	LINEAR DRIVE DC 211D-LG
Note		LEDL	ROOM 325
2	SA-16'-3"	LEDL	XOOLINE HYD LD25 830/1255-DL-C002-IP40 length - 4.11'
2		LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL-C002-IP40 length - 2.88'
1		LEDL	XOOLINE HYD LD25 830/0630-DL-C002-IP40 length - 2.06'
Note		LEDL	CONNECT MAXIMUM 2 X 4.11' PIECES IN SERIES
2		LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
2		LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
2		SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
Note		LEDL	MAXIMUM 2 X 4.11' PIECES PER 80W POWER SUPPLY
2		LEDL	LINEAR DRIVE DC 211D-LG
Note		LEDL	ROOM 325
3	SA-8'-9"	LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL-C002-IP40 length - 2.88'
1		LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
1		LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1		SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
1		LEDL	LINEAR DRIVE DC 211D-LG
Note		LEDL	ROOM 323
3	SA-8'-11"	LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL-C002-IP40 length - 2.88'
1		LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
1		LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1		SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
1		LEDL	LINEAR DRIVE DC 211D-LG
Note		LEDL	ROOM 321
3	SA-8'-11"	LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL-C002-IP40

		length - 2.88'
1	LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
1	LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1	SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
1	LEDL	LINEAR DRIVE DC 211D-LG
Note	LEDL	ROOM 319
3 SA-8'-11"	LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL- C002-IP40 length - 2.88'
1	LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
1	LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1	SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
1	LEDL	LINEAR DRIVE DC 211D-LG
Note	LEDL	ROOM 317
3 SA-8'-11"	LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL- C002-IP40 length - 2.88'
1	LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
1	LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1	SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
1	LEDL	LINEAR DRIVE DC 211D-LG
Note	LEDL	ROOM 315
3 SA-8'-11"	LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL- C002-IP40 length - 2.88'
1	LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
1	LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1	SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
1	LEDL	LINEAR DRIVE DC 211D-LG
Note	LEDL	ROOM 313
3 SA-8'-11"	LEDL	CUSTOM XOOLINE HYD LD25 830/0880-DL- C002-IP40 length - 2.88'
1	LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
1	LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1	SSLT	HLG-80H-24A 80w 24v LED driver 90-305vac (on/off)
1	LEDL	LINEAR DRIVE DC 211D-LG
Note	LEDL	COMMON AREA NORTH OF 354
1 SA-2'	LEDL	XOOLINE HYD LD25 830/0630-DL-C002-IP40

		LENGTH - 24.80"
1	LEDL	VARIOCON FEMALE MINI 2 X 0.34MM2 2M IP67 15000142
1	LEDL	VARIOCON FEMALE MINI PROTECTION CAP MONO 15000218
1	SSLT	HLG-40H-24A 40w 24v LED driver 90-305vac (on/off)
1	LEDL	LINEAR DRIVE DC 211D-LG
115	LEDL	ADJUSTABLE MOUNTING BRACKET 002/004 (SET OF 2) 13000082
15	LEDL	VARIOCON EXTENSION MINI 2 X 0.34MM2 0.1M IP67 15000143