



VILLA LIGHTING SUPPLY
2929 Chouteau Ave.
St. Louis, MO 63103
Tel: (314) 531-2600
Fax: (314) 531-8720
Toll Free: 1-800-325-0963

GUARANTEE ELECTRICAL CONTRACTORS
JOB: WEBSTER ISB
PO# 505555-11317 PC 13

TYPE	QTY ORDERED	MANUFACTURER	CATALOG NUMBER
BB2	3	TECH	700BCALDY-S-LED830-277
BC15	1	LUMENWERX	LWERX-VIA4WDI-HLO-LED-80-750-750- 30-15'-UNV-D-1-DMB-W-(REMOTE DRIVERS)-WHITE
CA	8	LUMENWERX	LWERX-VIA1.5S-HLO-LED-80-400- 30-4FT-277-D (1%)-1-DRC- W-WHITE
CB	4	METALUX	4VT2-LD4-4-DR-W-UNV-L835-CD1- WL-TH-U
EA	1	IO LTG	06.SSS.2.PMC.NR.ASYM.3K.66.50'
EE	30	LUMENPULSE	LOID-24V-24-30K-DIM-ASL LOIDC00009085
EE	30	LUMENPULSE	PACBOX-210/277-DIRCT WHITE-NO/DIM-24
EE	30	LUMENPULSE	ROB-LOI-24
EE	1	LUMENPULSE	LOILC-UL-10 LEADER CABLE
EE	1	LUMENPULSE	LOI-JB-UL JBOX
EE	27	LUMENPULSE	LOIJC-UL-8FT-SPL009335A 8' JUMPER CABLE
EE	2	LUMENPULSE	LOIJC-UL-12FT-SOL009335B 12' JUMPER CABLE
EG3	4	STERNBERG	STE-1A-1970LED-F-GTSR-SV1- 4ARC35K-T3-F/EZ/62PM-MOD/ 550P-12/CM/DRYLAC 49/66220
EG3	4	STERNBERG	BOLT-ANCHOR SET OF 4
EG5	7	STERNBERG	1A-1970LED-F-GTSR-SV1-4ARC35K-T5-F/EZ/62PM- MOD/550P-12/CM/DRYLAC 49/66220
EG5	7	STERNBERG	BOLT-ANCHOR SET OF 4
EG5R	3	STERNBERG	1A-1970LED-F-GTSR-SV1-4ARC35K-T5-F/EZ/62PM- MOD/550P-12/1-GFI/LPIUC/CM DRYLAC 49/66220
EG5R	3	STERNBERG	BOLT-ANCHOR SET OF 4
L41	1	STERNBERG	550P5-12-BCC/MOD PLAT/CM
A	1	POULSEN	NYP/A/1/50MH/ED-17 MEDIUM/120/208/240/277V/SRA TIGER DRYLAC 29/65650 FINISH PER DWG #131-14870-001
A	1	POULSEN	POSTTOP, SRA-NYP/A, 1-90, STD, TIGER DRYLAC 29/65650 FINISH PER DWG # 131-14870-001
A	1	POULSEN	CAP, POLE 4IN O.D. TIGER DRYLAC 29/65650 FINISH PER DWG #131-14870-001
PA4	100	LUMENWERX	LWERX-MP1279VIA4PDI-HLO-LGO-LED- 80-750-500-30-4FT-277-D-1-53WAC36-W -TG9-WHITE
PA6	2	LUMENWERX	LWERX-MP1279VIA4PDI-HLO-LGO-LED-80- 750-500-30-6'-277-D-1-53WAC36-W- TG9-WHITE
PA8	7	LUMENWERX	LWERX-MP1279VIA4PDI-HLO-LGO-LED-80 750-500-30-8'-277-D-1-53WAC36-W-TG9 -WHITE
PA12	3	LUMENWERX	LWERX-MP1279VIA4PDIWS-HLO-LGO-LED- 80-750-500-30-12'-277-D-1-53WAC36-W -TG9-WHITE
PA16-2	1	LUMENWERX	LWERX-MP1279VIA4PDI-HLO-LGO-LED- 80-750-500-30-16'-277-D-2-53WAC36-W -TG9/16-WHITE
PA-16-1	1	LUMENWERX	LWERX-MP1279VIA4PDI-HLO-LGO-LED-80- 750-500-30-16'-277-D-1-53WAC36-W-TG 9-WHITE



VILLA LIGHTING SUPPLY
2929 Chouteau Ave.
St. Louis, MO 63103
Tel: (314) 531-2600
Fax: (314) 531-8720
Toll Free: 1-800-325-0963

GUARANTEE ELECTRICAL CONTRACTORS
JOB: WEBSTER ISB
PO# 505555-11317 PC 13

TYPE	QTY ORDERED	MANUFACTURER	CATALOG NUMBER
PA22	10	LUMENWERX	LWERX-MP1279VIA4PDI-HLO-LGO-LED- 80-750-500-30-22'-277-D-2-53WAC36-W -TG9-WHITE (10FT SEC/12FT SEC SEPERATE CIRCUIT)
PA24	39	LUMENWERX	LWERX-MP1279VIA4PDI-HLO-LGO-LED- 80-750-500-30-24'-277-D-2-53WAC36-W -TG9-WHITE (2-12FT SECTIONS SEPERATE CIRCUIT)
PB26-6	6	FINELITE	FN-HP4D-26'-6"-H-3000K-F-277-FM- SC-C4-1%-DIM-WHITE
PC	109	METALUX	MX-4SNLED-LD4-60SL-UNV-L835-CD1-U 12538813 FOR 4SNLED-LD4-50SL-LW-UNV-L835-CD1-U TYPE PC .
PC	109	METALUX	MX-SNLED-LENS-LW-4FT-U 12351408 LENS ONLY COOPER TYPE PC .
PC	109	METALUX	AYC-CHAIN/SET-U
PD8	4	LUMENWERX	LWERX-MP1331VIA4PDIWS-HLO-LGO-LED- 80-750-1000-30-8'-277-D-1-5WAC36/CU W-WHITE
RA2	13	FINELITE	FN-HP-4R-2'-H-3000K-F-277V-SC-C3F- DIM
RA3	8	FINELITE	FN-HP-4R-3'-H-3000K-F-277V-SC- C3F-DIM
RA4	75	FINELITE	FN-HP-4R-4'-H-3000K-F-277-SC- C3F-DIM
RA6	60	FINELITE	FN-HP-4R-6'-H-3000K-F-277-SC- C3F-DIM
RA8	19	FINELITE	FN-HP-4R-8'-H-3000K-F-277V-SC- C3F-DIM
RA10	1	FINELITE	FN-HP-4R-10'-H-3000K-F-277V-SC- C3F-DIM
RA12	2	FINELITE	FN-HP-4R-12'-H-3000K-F-277V-SC- C3F-DIM
RA16	1	FINELITE	FN-HP-4R-16'-H-3000K-F-277V-SC- C3F-DIM
RA18	1	FINELITE	FN-HP-4R-18'-H-3000K-F-277V-2C- C3F-DIM 12FT ON 1-CIRCUIT/6FT ON SEP CIRCUIT NEED 6FT ON ONE FEED/CIRC AND THE OTHER 12FT ON ANOTHER
RA24	9	FINELITE	FN-HP-4R-68'-H-3000K-F-277V-2C- C2T-DIM ONE LEG OF FOUR ON SEP CIRCUIT ONE 10FT LEG ON A SEPERATE FEED/CIR
RA-24X10	1	FINELITE	FN-HP-4R-68'-H-3000K-F-277V-2C- C2T-DIM ONE LEG OF FOUR ON SEP CIRCUIT ONE 10FT LEG ON A SEPERATE FEED/CIR FINELITE TYPE RA-24X9 . *** Non-Stock ***
RB-6X7	1	FINELITE	FN-HP-4R-13'-H-3000K-F-277V- SC-SF-DIM 6FT X 7FT L C/O: 1 TYPE RB6C 1 TYPE RB7C 1-90 DEGREE CORNER DRYWALL CEILING FINELITES TYPE RB-6X7 . *** Non-Stock ***
RA-24X6	1	FINELITE	FN-HP-4R-62'8"-H-3000K-F-277V- SC-C3F-DIM 24FT 8IN X 6FT 8IN RECTANGLE C/O: 2 TYPE RA24-8C 2-TYPE RA6-8C 4-90 DEGREE CORNERS FINELITE TYPE RA-24X6 . *** Non-Stock ***
RB-9-4X6	1	FINELITE	FN-HP-4R-15'8"-H-3000K-F-277V- SC-SF-DIM 9FT 4IN X 6FT 4IN L C/O: 1 TYPE RB9-4C 1 TYPE RB6-4C 1 90 DREGREE CORNER DRYWALL CEILING EACH LEG ON SEPERATE FEED
RA-12X6	1	FINELITE	FN-HP-4R-18'4"-H-3000K-F-277V-MC- C3F-DIM 12FT 4IN X 6FT L C/O: 1-TYPE RA12-4C 1-TYPE RA6C 1-90 DEGREE CORNER 6FT LEG ON SEPERATE CKT
RB4	9	FINELITE	FN-HP-4R-4'-H-3000K-F-277V-SC-SF- DIM
RB6	8	FINELITE	FN-HP-4R-6'-H-3000K-F-277-SC- SF-DIM
RB8	4	FINELITE	FN-HP-4R-8'-H-3000K-F-277-SC- SF-DIM
RB10	8	FINELITE	FN-HP-4R-10'-H-3000K-F-277V-SC- SF-DIM
RB17	1	FINELITE	FN-HP-4R-17'-H-3000K-F-277V- SC-SF-DIM
RC4-7	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-4'7"-277-D-1-DTL-W



VILLA LIGHTING SUPPLY
2929 Chouteau Ave.
St. Louis, MO 63103
Tel: (314) 531-2600
Fax: (314) 531-8720
Toll Free: 1-800-325-0963

GUARANTEE ELECTRICAL CONTRACTORS
JOB: WEBSTER ISB
PO# 505555-11317 PC 13

TYPE	QTY ORDERED	MANUFACTURER	CATALOG NUMBER
RC5	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-5'-277-D-1-DTL-W
RC5-6	4	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-5'6"-277-D-1-DTL-W
RC6	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-6'-277-D-1-DTL-W
RC7	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-7'-277-D-1-DTL-W
RC8	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-8'-277-D-1-DTL-W
RC9	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-9'-277-D-1-DTL-W
RC9-.1%	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-9-277-D (0.1% ELDOLEDSOLO)- 1-DTL-W
RC10	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-10'277-D-1-DTL-W
RC10-6	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-10'6"-277-D-1-DTL-W
RC12	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-12'-277-D-1-DTL-W
RC12-6	2	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-12'6"-277-D-1-DTL-W
RC15-6-.1%	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-15'6"-277-D(0.1% ELDOLEDSOLO)- 1-DTL-W
RC18-6	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-18'6"-277-D-1-DTL-W
RC34-3	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-34'3"-277-D-1-DTL-W
RC34-6	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-34'6"-277-D-1-DTL-W
RC43-6	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-43'6"-277-D-1-DTL-W
RC45-8	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-45'8"-277-D-1-DTL-W
RCG6	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-6-277-D-1-ST-W
RCG9-9	2	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-9'9"-277-D-1-ST-W
RCG10	10	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-10'-277-D-1-ST-W
RCG10-6	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-10'6"-277-D-1-ST-W
RCG12	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-12'-277-D-1-ST-W
RCG12-6	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500-30-12FT 6IN-277-D-1-ST-W
RCG15	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-15'-277-D-1-ST-W
RCG16	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500-16FT-27 7-D-1-ST-W
RCG20-6	3	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-20'6"-277-D-1-ST-W
RCG31	1	LUMENWERX	LWERX-V3SKID-GRO-LED-80-500- 30-31'-277-D-1-ST-W
RD	41	PORTFOLIO	LD4B15D010 HOUSING 1500LM



VILLA LIGHTING SUPPLY
2929 Chouteau Ave.
St. Louis, MO 63103
Tel: (314) 531-2600
Fax: (314) 531-8720
Toll Free: 1-800-325-0963

GUARANTEE ELECTRICAL CONTRACTORS
JOB: WEBSTER ISB
PO# 505555-11317 PC 13

TYPE	QTY ORDERED	MANUFACTURER	CATALOG NUMBER
RD	41	PORTFOLIO	EU4B10208030 LED MODULE
RD	41	PORTFOLIO	4LBM1H TRIM MED
RE	29	USAI	3131-B1-S-10-AL20F- LSTA4-8416-C330KH-25-NC-277-DIML2
RE	29	USAI	USAI-LSTA4-8416-C3-30KH-25-NC-277V-DIML6 HOUSING
RE	29	USAI	USAI-AL20F SIZE F ACCESSORY LENS USAI LIGHTING TYPE RE LENS HOLD
RED	16	USAI	1011-B1-10-LSLD4-9020- M2-30KS-50-NCSM1-277-DIML6A
RED	16	USAI	USAI-LSLD4-9020-M2-30KS-50-NCSM1-277V-DIML6A
RF	30	ELLIPTIPAR	S-222-M007-L(9/16" TEGULAR TILE)-02-M-0-30-ZX
RG	36	KENALL	CSEDI-22-67L35K-DCC-DV-5F- 2H CHANGE TO FIT 9/16 TEG TILE .
RG	72	KENALL	EQ-CLIPS
RH	182	PORTFOLIO	LD4B1020D010 HOUSING
RH	182	PORTFOLIO	EU4B10208030 LED MODULE
RH	182	PORTFOLIO	4LBW1H TRIM WIDE
RHB	10	PORTFOLIO	LD4B20D010 HOUSING NEED TO ACCEPT 2.75" DEEP CEILING .
RHB	10	PORTFOLIO	EU4B10208030 POWER MODULE LED DOWNLIGHT 4" TYPE RHB .
RHB	10	PORTFOLIO	4LBW1H TRIM LED 4" WIDE SF H TYPE RHB .
RJ4	5	CON-TECH	RDA4L230K27D2FX4WHT-P2CW COMPATABLE WITH 1% DIMMING (4) HEAD UNIT ON (2) SEPERATE CIRCUIT, 1% 0-10V DIMMING
RK2	19	METALUX	22GRRA-LD4-32-F1-UNV-L835-HCD1- PAF-U
RK2	76	METALUX	EQ-CLIP-U
RL	8	PORTFOLIO	LDA4A13835D010TE
RL	8	PORTFOLIO	LAR35FL
RL	8	PORTFOLIO	4LA1WWF
RM2 9/16 STD	5	LUMENWERX	LWERX-NOVRS-22-PMO-HLO-LED- 80-3200-30-277-D-1-TB9-W
RM2 9/16 STD	10	LUMENWERX	LWERX-EQ-CLIPS
RM2 9/16 TEG	51	LUMENWERX	LWERX-NOVRS-22-PMO-HLO-LED-80- 3200-30-277-D-1-TG9-W
RM2 9/16 TEG	102	LUMENWERX	LWERX-EQ-CLIPS
RM4	12	LUMENWERX	LWERX-NOVRS-24-PMO-HLO-LED- 80-4000-30-277-D-1-TG9-W
RM4	48	LUMENWERX	LWERX-EQ-CLIPS



VILLA LIGHTING SUPPLY
2929 Chouteau Ave.
St. Louis, MO 63103
Tel: (314) 531-2600
Fax: (314) 531-8720
Toll Free: 1-800-325-0963

GUARANTEE ELECTRICAL CONTRACTORS
JOB: WEBSTER ISB
PO# 505555-11317 PC 13

TYPE	QTY ORDERED	MANUFACTURER	CATALOG NUMBER
RN	8	FINELITE	FN-HP-4R-4FT-S-3000K-F-277V- SC-VF-WOOD-DIM
RP16	1	FOCAL POINT	FSM4L-SR-875LF-30K-1C-277-LD1-T2-WH-16
RP20	1	FOCAL POINT	FSM4L-SR-875LF-30K-1C-277-LD1-T2-WH-20'
RP24	1	FOCAL POINT	FSM4L-SR-875LF-30K-1C-277-LD1-T2-WH-24'
RP28	1	FOCAL POINT	FSM4L-SR-875LF-30K-1C-277-LD1-T2-WH-28'
RR4X4	1	FINELITE	FN-HP-4R-16'-S-3000K-F-277V- SC-DIM (4X4) -SF DRYWALL CEILING
RR4X6 9/16 TEG	8	FINELITE	FN-HP-4R-20'-S-3000K-F-277V- SC-DIM (4X6)-C2T
RR6X8 DRYWALL	1	FINELITE	FN-HP-4R-28'-S-3000K-F-277V- SC-DIM(6X8)-SF DRYWALL CEILING
RS8	2	FINELITE	FN-HP-4R-8'-H-3000K-F-277V- SC-C3F-DIM-ELDOLED
UA2	20	KENALL	AUCLED-I-MW-11L30K-24"-277V- MS-SW
UA4	55	KENALL	AUCLED-I-MW-20L30K-48" 277V-MS-SW
UB4	36	FINELITE	UC-E-45"-FINISH-PS-60W MAGNETIC MOUNTING INCLUDED
UB4	12	FINELITE	PS-60W WITH L5-15P PLUG
UB4	24	FINELITE	CP-28
WA	2	FINELITE	FN-HP-4R-4'-SO-3000K-277V-SC-SF VERITCAL IN WALL-SECURE LENS
XA	13	SURE-LITES	LPX6
XA	1	SURE-LITES	LPX18PKWH
XB	14	SURE-LITES	EUXRL
XB	14	SURE-LITES	EUX6RH
XC	25	SURE-LITES	EUXRL
XC	25	SURE-LITES	EUX6RH
YA	1	ISOLITE	ELT-FT-AC-G-1C-WH-SW-NA- CW (IN USE)
EB-88'	1	LED LINEAR	VARIOLED HYDRA LD10 W825 IP67 IN 003 W/ 60° LENS AND 45° CLIPS
			1 RUN AT 88'- ACTUAL LENGTH=
			THE 85' RUN WILL BE MADE OF 17 X 4.98' (60") & 1 X 3.34 (40") SEGMENTS
			VARIOLED HYDRA LD10 W825/1519MM IP67 IN 003 W/ 60° CLEAR LENS
			VARIOLED HYDRA LD10 W825/1019MM IP67 IN 003 W/ 60° CLEAR LENS
			CONNECT MAXIMUM 3 X PIECES IN SERIES



VILLA LIGHTING SUPPLY
2929 Chouteau Ave.
St. Louis, MO 63103
Tel: (314) 531-2600
Fax: (314) 531-8720
Toll Free: 1-800-325-0963

GUARANTEE ELECTRICAL CONTRACTORS
JOB: WEBSTER ISB
PO# 505555-11317 PC 13

TYPE	QTY ORDERED	MANUFACTURER	CATALOG NUMBER
			VARIOCON FEMALE MONO 2 X 0.34 MM2 5 M IP67
			VARIOCON PROTECT SNAP
			VARIOCLIPS 003/006 45 DEG.
			HLG-80H-24A
			80W 24V LED DRIVER 90-305VAC (ON/OFF)
			LINEAR DRIVE DC 211D-LG
			LOGARITHMIC 0-10V MODULE 8 AMPS MAX - FOR STATIC WHITE/COLOUR
			RUN LENGTH BASED OFF DRAWING- MUST BE FIELD VERIFIED BEFORE ORDERING
EB-120'	1	LED LINEAR	VARIOLED HYDRA LD10 W825 IP67 IN 003 W/ 60° LENS AND 45° CLIPS
			1 RUN AT 120'- ACTUAL LENGTH= 120.03' (1440.4 INCHES)
			120 FEET C/O (23)@4.98' (60") + (1)@2.11'(25.4") + (1)@3.3' (35")
			VARIOLED HYDRA LD10 W825/1519MM IP67 IN 003 W/ 60° CLEAR LENS
			VARIOLED HYDRA LD10 W825/644MM IP67 IN 003 W/ 60° CLEAR LENS
			VARIOLED HYDRA LD10 W825/894MM IP67 IN 003 W/ 60° CLEAR LENS
			CONNECT MAXIMUM 3 X 4.98' PIECES IN SERIES
			VARIOCON FEMALE MONO 2 X 0.34 MM2 5 M IP67
			VARIOCON PROTECT SNAP
			VARIOCLIPS 003/006 45 DEG.
			HLG-80H-24A
			80W 24V LED DRIVER 90-305VAC (ON/OFF)
			LINEAR DRIVE DC 211D-LG
			LOGARITHMIC 0-10V MODULE 8 AMPS MAX - FOR STATIC WHITE/COLOUR
			RUN LENGTH BASED OFF DRAWING- MUST BE FIELD VERIFIED BEFORE ORDERING
EC-ALT (ASI 039)	8	VISTA	VA-1043-B-MF-30-C-MV-010-FC LED FLOOD FULL SHIELD INSTALLED
EC-ALT (ASI 039)	8	VISTA	VA-HL-1034 HONEYCOMB LOUVER
EC-ALT (ASI 039)	8	VISTA	VA-MP-150 MOUNTING STAKE
ED	1	LED LINEAR	LEDLIN-VARIO.LED.HYRA.LD5.W825 IP67 IN 003 W 90D DIFFUSE LENS 6 METER OPEN END LEAD ON FIRST FIXTURE IN EACH RUN (3)20'RUNS(19.63FT)=(4) 1519MM FIXTURE PER RUN TYPE ED-20' .
			VERIFY COLOR TEMP BEFORE ORDERING



VILLA LIGHTING SUPPLY
2929 Chouteau Ave.
St. Louis, MO 63103
Tel: (314) 531-2600
Fax: (314) 531-8720
Toll Free: 1-800-325-0963

GUARANTEE ELECTRICAL CONTRACTORS
JOB: WEBSTER ISB
PO# 505555-11317 PC 13

TYPE	QTY ORDERED	MANUFACTURER	CATALOG NUMBER
			1 RUN AT 25'4"- ACTUAL LENGTH= 24.91'
			THE 25'-4" RUN WILL BE MADE OF 5 X 4.98'RUNS
			VARIOLED HYDRA LD5 W830/1519MM IP67 IN 003 W/ 90° CLEAR LENS
			VARIOCON FEMALE MONO 2 X 0.34 MM2 5 M IP67
			VARIOCON PROTECT SNAP
			VARIOCLIPS 003/006 45 DEG.
			HLG-80H-24A
			80W 24V LED DRIVER 90-305VAC (ON/OFF)
			LINEAR DRIVE DC 211D-LG
			LOGARITHMIC 0-10V MODULE 8 AMPS MAX - FOR STATIC WHITE/COLOUR
			RUN LENGTH BASED OFF DRAWING- MUST BE FIELD VERIFIED BEFORE ORDERING
ED	1	LED LINEAR	LEDLIN-VARIO.LED.HYDRA.LD5.W825 IP67 IN 003 W 90D DIFFUSE LENS (1) RUN (13.72'FT)/164.6") = (2)1519MM & (1)1144MM *** Non-Stock ***
ED	75	LED LINEAR	LEDLIN-13000006-45 45D MOUNTING CLIPS *** Non-Stock ***
ED	2	LED LINEAR	LEDLIN-HLG-80H-24A LED DRIVER *** Non-Stock ***
ED	1	LED LINEAR	LEDLIN-HLG-40H-24A LED DRIVER *** Non-Stock ***
ED	2	LED LINEAR	LEDLIN-DC211D-LG LINEAR DRIVE LED LIGHTING *** Non-Stock ***
EH	21	PERF IN LIGHT	074684-3000K-IR-17258
EH	1	PERF IN LIGHT	074684-3000K-BK-17258
EH	23	PERF IN LIGHT	ROUGH-IN-ALU-TECH-RO-310409 BACK BOX ONLY
			For full range dimming each driver paired with (1) eldoLED LD DC 211D-LG
			If MeanWell 24"B" drivers with basic 0-10V dimming range allowed- deduct
			ALL LED LINEAR IS TO BE FIELD VERIFIED BEFORE ORDERING
EL	5	BEGA	99856-BLK LED MODULE
EL	5	BEGA	99626-BLK BOLLARD TUBE
EL	5	BEGA	79818 A/B & TEMPLATE
RQ	2	LINEAR LIGHTING	WW4-D-1-ET5-277-NS-R-BW-EM-4'
EF36	9	CREE	PWY-EDG-3M-P3-02-E-UL-BZ-525-40K
EF36	9	CREE	CS047S01



VILLA LIGHTING SUPPLY
2929 Chouteau Ave.
St. Louis, MO 63103
Tel: (314) 531-2600
Fax: (314) 531-8720
Toll Free: 1-800-325-0963

GUARANTEE ELECTRICAL CONTRACTORS
JOB: WEBSTER ISB
PO# 505555-11317 PC 13

TYPE	QTY ORDERED	MANUFACTURER	CATALOG NUMBER
EF36	27	CREE	CZ076X01RD
EF42	3	CREE	PWY-EDG-3M-P4-02-E-UL-BZ-525-40K
EF42	3	CREE	CREE-CS047S01 TEMPLT BXPB PATHWAY TYPE EF 36/42 TEMPLATE .
EF42	9	CREE	CREE-CZ076X01RD ANCH BLT 3/8-16X6+1.25GA TYPE EF36/42 ANCHOR BOLTS .
EK (ASI 039)	3	VISA	VISA-OW2480-L30K-H-MVOLT-GLIM MULLION MOUNT W/ REMOTE POWER SUPPLY
SA	12	LED LINEAR	LEDLIN-XOOLINE-HYD-LD25-830/1880 -DL-C002-IP40 (6.16') LED-LINEAR IN ALUM. PROFILE *** Non-Stock ***
SA	2	LED LINEAR	LEDLIN-CUSTOM-XOOLINE-HYD-LD25- 830/1380-DL-C002-IP40 (4.52') LED-LINEAR IN ALUM. PROFILE *** Non-Stock ***
SA	10	LED LINEAR	LEDLIN-XOOLINE-HYD-LD25-830/0380 -DL-C002-IP40 (1.24')LED-LINEAR IN ALUM. PROFILE *** Non-Stock ***
SA	16	LED LINEAR	LEDLIN-XOOLINE-HYD-LD25-830/1255 -DL-C002-IP40 (4.11')LED-LINEAR IN ALUM. PROFILE *** Non-Stock ***
SA	68	LED LINEAR	LEDLIN-CUSTOM-XOOLINE-HYD-L25- 830/0880-DL-C002-IP40 (2.88')LED-LINEAR IN ALUMN. PROFILE *** Non-Stock ***
SA	7	LED LINEAR	LEDLIN-XOOLINE-HYD-LD25-830/0630 -DL-C002-IP40 (2.06')LED-LINEAR IN ALUMN. PROFILE *** Non-Stock ***
SA	50	LED LINEAR	LEDLIN-15000142-F-FEED-2METER *** Non-Stock ***
SA	50	LED LINEAR	LEDLIN-15000218 VARIOCON FEMALE MINI PROTECTION CAP MONO IP67 *** Non-Stock ***
SA	1	LED LINEAR	HLG-40-H-24A
SA	14	LED LINEAR	HLG-60-H-24A
SA	32	LED LINEAR	HLG-80H-24A
SA	2	LED LINEAR	HLG-100H-24A
SA	49	LED LINEAR	LINEAR DRIVER CD-211D-LG
SA	115	LED LINEAR	LEDLIN-ADJUSTABLE.MOUNT.BRACKET 002/004(SET OF 2)
SA	15	LED LINEAR	LEDLIN-VARIOCON.EXTENSION.MINI 2X.034MM2 0.1M IP67 *** Non-Stock ***
EB-17	2	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10- W825/1269MM-IP67-IN-003 W/60DEG DIFFUSE LENS, 500MM BLACK OPEN ON ONE END AND FEMALE BLACK CONNECT TYPE EB-17 . *** Non-Stock ***
EB-17	2	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10- W825/1268MM-IP67-IN-003-W/60DEG DIFFUSE LENS, MALE BLACK CONNECT ONLY TYPE EB-17 .
EB-17	16	LED LINEAR	LEDLIN-13000006-45 45D MOUNTING CLIPS TYPE EB-17 .
EB-17	1	LED LINEAR	SSLTG-HLG-60-H-24A 60W 24V LED DRIVER 90-305(ON/OFF) TYPE EB-17 ,
EB-17	1	LED LINEAR	LEDLIN-DC211D-LG LINEAR DRIVE LED LIGHTING TYPE EB-17 .
EB-19-5	1	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10- W825/1894MM-IP67-IN-003 W/60 DEG DIFFUSE LENS, 500MM BLACK OPEN ON ONE END AND FEMALE BLACK CONNECT TYPE EB-19-5 .
EB-19-5	1	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10- W825/1894MM-IP67-IN-003 W/60DEG DIFFUSE LENS, MALE BLACK CONNECT ONLY TYPE EB-19-5 .
EB-19-5	1	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10- W825/1894MM-IP67-IN-003 W/60DEG DIFFUSE LENS, 500MM BLACK OPEN ON ONE END ONLY TYPE EB-19-5 .



VILLA LIGHTING SUPPLY
2929 Chouteau Ave.
St. Louis, MO 63103
Tel: (314) 531-2600
Fax: (314) 531-8720
Toll Free: 1-800-325-0963

GUARANTEE ELECTRICAL CONTRACTORS
JOB: WEBSTER ISB
PO# 505555-11317 PC 13

TYPE	QTY ORDERED	MANUFACTURER	CATALOG NUMBER
EB-19-5	1	LED LINEAR	LEDLIN-13000006-45 45D MOUNTING CLIPS TYPE EB-19-5 .
EB-19-5	1	LED LINEAR	SSLTG-HLG-80-H-24A 80W 24V LED DRIVER 90-305(ON/OFF) TYPE EB-19-5 .
EB-19-5	1	LED LINEAR	LEDLIN-LINEAR.DRIVE.DC.211D-LG LN211D1-LG TYPE EB-19-5 .
EB-15-9	3	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10- W825/1519MM-IP67-IN-003 W/60DEG DIFFUSE LENS, 500MM BLACK OPEN ON ONE END AND FEMALE BLACK CONNECT TYPE EB-15-9 .
EB-15-9	3	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10- W825/1644MM-IP67-IN-003 W/60DEG DIFFUSE LENS TYPE EB-15-9 .
EB-15-9	3	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10- W825/1519MM-IP67-IN-003 W/60 DEG DIFFUSE LENS, MALE BLACK CONNECT ONLY TYPE EB-15-9 .
EB-15-9	45	LED LINEAR	LEDLIN-13000006-45 45D MOUNTING CLIPS TYPE EB-15-9 .
EB-15-9	3	LED LINEAR	SSLTG-HLG-60-H-24A 60W 24V LED DRIVER 90-305(ON/OFF) TYPE EB-15-9 .
EB-15-9	3	LED LINEAR	LEDLIN-LINEAR.DRIVE.DC.211D-LG LN211D1-LG TYPE EB-15-9 .
EB-13-6	1	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10-W825/139 4MM-IP67-IN-003 W/60DEG DIFFUSE LENS, 500MM BLACK OPEN ON ONE END AND FEMALE BLACK CONNECT TYPE EB-13-6 . *** Non-Stock ***
EB-13-6	1	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10-W825/126 9MM-IP67-IN-003 W/60 DIFUSE LENS TYPE EB-13-6 .
EB-13-6	1	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10- W825/1394MM-IP67-IN-003 W/60 DEG DIFFUSE LENS TYPE EB-13-6 .
EB-13-6	1	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10- W825/1394MM-IP67-IN-003 W/ 60 DEG DIFFUSE LENS, MALE BLACK CONNECT ONLY TYPE EB-13-6 .
EB-13-6	12	LED LINEAR	LEDLIN-13000006-45 45D MOUNTING CLIPS TYPE EB-13-6 .
EB-13-6	1	LED LINEAR	SSLTG-HLG-60-H-24A 60W 24V LED DRIVER 90-305(ON/OFF) TYPE EB-13-6 ,
EB-13-6	1	LED LINEAR	LEDLIN-LINEAR.DRIVE.DC.211D-LG LN211D1-LG TYPE EB-13-6 .
EB-11-1	1	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10- W825/1644MM-IP67-IN-003 W/ 60 DEG DIFFUSE LENS, 500MM BLACK OPEN ON ONE END AND FEMALE BLACK CONNECT TYPE EB-11-1 .
EB-11-1	1	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10- W825/1644MM-IP67-IN-003 W/ 60 DEG DIFFUSE LENS, MALE BLACK CONNECT ONLY TYPE EB-11-1 .
EB-11-1	10	LED LINEAR	LEDLIN-13000006-45 45D MOUNTING CLIPS TYPE EB-11-1 .
EB-11-1	1	LED LINEAR	SSLTG-HLG-60-H-24A 60W 24V LED DRIVER 90-305(ON/OFF) TYPE EB-11-1 .
EB-11-1	1	LED LINEAR	LEDLIN-LINEAR.DRIVE.DC.211D-LG LN211D1-LG TYPE EB-11-1 .
EB-15-6	1	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10- W825/1519MM-IP67-IN-003 W/60DEG DIFFUSE LENS, 500MM BLACK OPEN ON ONE END AND FEMALE BLACK CONNECT TYPE EB-15-6 .
EB-15-6	1	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10- W825/1644MM-IP67-IN-003 W/60DEG DIFFUSE LENS TYPE EB-15-6 .
EB-15-6	1	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10- W825/1519MM-IP67-IN-003 W/60 DEG DIFFUSE LENS, MALE BLACK CONNECT ONLY TYPE EB-15-6 .
EB-15-6	15	LED LINEAR	LEDLIN-13000006-45 45D MOUNTING CLIPS TYPE EB-15-6 .
EB-15-6	1	LED LINEAR	SSLTG-HLG-60-H-24A 60W 24V LED DRIVER 90-305(ON/OFF) TYPE EB-15-6 .
EB-15-6	1	LED LINEAR	LEDLIN-LINEAR.DRIVE.DC.211D-LG LN211D1-LG TYPE EB-15-6 .
EB-15-10	1	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10- W825/1644MM-IP67-IN-003 W/ 60 DEG DIFFUSE LENS, 500MM BLACK OPEN ON ONE END AND FEMALE BLACK CONNECT TYPE EB-15-10 .



VILLA LIGHTING SUPPLY
2929 Chouteau Ave.
St. Louis, MO 63103
Tel: (314) 531-2600
Fax: (314) 531-8720
Toll Free: 1-800-325-0963

GUARANTEE ELECTRICAL CONTRACTORS
JOB: WEBSTER ISB
PO# 505555-11317 PC 13

TYPE	QTY ORDERED	MANUFACTURER	CATALOG NUMBER
EB-15-10	1	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10 W825/1519MM-IP67-IN-003 W/ 60DEG DIFFUSE LENS TYPE EB-15-10 .
EB-15-10	1	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10- W825/1644MM-IP67-IN-003 W/ 60 DEG DIFFUSE LENS, MALE BLACK CONNECT ONLY TYPE EB-15-10 .
EB-15-10	15	LED LINEAR	LEDLIN-13000006-45 45D MOUNTING CLIPS TYPE EB-15-10 .
EB-15-10	1	LED LINEAR	SSLTG-HLG-60-H-24A 60W 24V LED DRIVER 90-305(ON/OFF) TYPE EB-15-10 .
EB-15-10	1	LED LINEAR	LEDLIN-LINEAR.DRIVE.DC.211D-LG LN211D1-LG TYPE EB-15-10 .
EB-15-7	1	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10- W825/1519MM-IP67-IN-003 W/60DEG DIFFUSE LENS, 500MM BLACK OPEN ON ONE END AND FEMALE BLACK CONNECT TYPE EB-15-7 .
EB-15-7	1	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10- W825/1644MM-IP67-IN-003 W/60DEG DIFFUSE LENS TYPE EB-15-7 .
EB-15-7	1	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10- W825/1519MM-IP67-IN-003 W/60 DEG DIFFUSE LENS, MALE BLACK CONNECT ONLY TYPE EB-15-7 .
EB-15-7	15	LED LINEAR	LEDLIN-13000006-45 45D MOUNTING CLIPS TYPE EB-15-7 .
EB-15-7	1	LED LINEAR	SSLTG-HLG-60-H-24A 60W 24V LED DRIVER 90-305(ON/OFF) TYPE EB-15-7 .
EB-15-7	1	LED LINEAR	LEDLIN-LINEAR.DRIVE.DC.211D-LG LN211D1-LG TYPE EB-15-7 .
EB-14-6	2	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10-W825/139 4MM-IP67-IN-003 W/60DEG DIFFUSE LENS, 500MM BLACK OPEN ON ONE END AND FEMALE BLACK CONNECT TYPE EB-14-6 .
EB-14-6	2	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10 W825/1519MM-IP67-IN-003 W/ 60DEG DIFFUSE LENS TYPE EB-14-6 .
EB-14-6	2	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10- W825/1394MM-IP67-IN-003 W/ 60 DEG DIFFUSE LENS, MALE BLACK CONNECT ONLY TYPE EB-14-6 .
EB-14-6	24	LED LINEAR	LEDLIN-13000006-45 45D MOUNTING CLIPS TYPE EB-14-6 .
EB-14-6	2	LED LINEAR	SSLTG-HLG-60-H-24A 60W 24V LED DRIVER 90-305(ON/OFF) TYPE EB-14-6 .
EB-14-6	2	LED LINEAR	LEDLIN-LINEAR.DRIVE.DC.211D-LG LN211D1-LG TYPE EB-14-6 .
EB-9-8	1	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10-W825/139 4MM-IP67-IN-003 W/60DEG DIFFUSE LENS, 500MM BLACK OPEN ON ONE END AND FEMALE BLACK CONNECT TYPE EB-9-8 .
EB-9-8	1	LED LINEAR	LEDLIN-VARIOLED-HYDRA-LD10- W825/1519MM-IP67-IN-003 W/60 DEG DIFFUSE LENS, MALE BLACK CONNECT ONLY TYPE EB-9-8 .
EB-9-8	8	LED LINEAR	LEDLIN-13000006-45 45D MOUNTING CLIPS TYPE EB-9-8 .
EB-9-8	1	LED LINEAR	SSLTG-HLG-40-H-24A 40W 24V LED DRIVER 90-305VAC(ON/OFF) TYPE EB-9-8 .
EB-9-8	1	LED LINEAR	LEDLIN-LINEAR.DRIVE.DC.211D-LG LN211D1-LG TYPE EB-9-8 .
EB	300	LED LINEAR	LEDLIN-14000030 VARIO CABEL MONO 2X 0.34MM2 IP68 15 X 6M PIECES *** Non-Stock ***
BA-ALT	1	DADO	DADO-H-HL25-ZAML3-30-I-W-R-S-Z40FC-RT90-44FC-WHE-IN-CL2P507R-X-D010-UNV - HardLine 2.5" with 9.8W/ft 3000K LED (direct view multi-row LED). Stairwell pattern, L shape 240"x44" ft. White finish on entire housing, with (1) Right Turn & 50ft feed cables. Includes 0-10V dimmable remote power supply in NEMA enclosure.
BA-ALT	1	DADO	DADO-H-HL25-ZAML3-30-I-W-R-S-Z40FC-RT90-44FC-CL148-162FC-OC211-24FC-WHE-IN-CL2P507R-X-D010-UNV - HardLine 2.5" with 9.8W/ft 3000K LED (direct view multi-row LED). Stairwell pattern, (4) Field cuttable sections 39.25 ft total length, White finish on entire housing. with (1) Right Turn, (1) Inside Corner and (1) Outside Corner. 5.50ft feed cables. Includes 0-10V dimmable remote power supply in NEMA enclosure.
BA-ALT	1	DADO	H-HL25-ZAML3-30-I-W-R-S-Z40FC-RT90-44FC-CL148-162FC-OC211-24FC-WHE-IN-CL2P507R-X-D010-UNV - HardLine 2.5" with 9.8W/ft 3000K LED (direct view multi-row LED). Stairwell pattern, (4) Field cuttable sections 39.25 ft total length, White finish on entire housing. with (1) Right Turn, (1) Inside Corner and (1) Outside Corner. 5.50ft feed cables. Includes 0-10V dimmable remote power supply in NEMA enclosure.