


HANOVER® PREST® PAVER

Nominal 12" x 24"

$11\frac{3}{4}" \times 23\frac{1}{2}" \times 2"$

321400




Please Note: Sizes shown are nominal. Products are made to fit metric modules.
Pavers should be laid maintaining a minimum $\frac{1}{8}"$ joint.

HANOVER®
Architectural Products
5000 Hanover Road, Hanover, PA 17331
717-637.0500 fax 717-637.7145
www.hanoverpavers.com


Hanover® Prest® Pavers on High-Tab® Pedestals

321400



Pavers are shown on two High-Tab® Pedestals

The illustration above shows a cross section of a roof deck installation. Insulation board with a minimum of 60 psi is required to support the paver/pedestal assembly under pedestrian use.



HANOVER®
Architectural Products
5000 Hanover Road, Hanover, PA 17331
717.637.0500 fax 717.637.7145
www.hanoverpavers.com



77 Westport Plaza
Suite 250
St. Louis, MO 63146

TRANSMITTAL

No. 15051-0372

Paric Corporation

PROJECT: 15051-Webster University Interdisciplinary Science Building

DATE: 12/06/2016

TO: Cannon Design
1100 Clark Ave
St Louis MO 63102

Fax;
314-241-2203

RE: Green Roof Pavers Product Data

ATTN: Kelvin Patel

JOB: 15051

WE ARE SENDING:	SUBMITTED FOR:	ACTION TAKEN:
☐ Shop Drawings	☒ Approval	☐ Approved as Submitted
☐ Letter	☐ Your Use	☐ Approved as Noted
☐ Prints	☐ As Requested	☐ Returned After Loan
☐ Change Order	☐ Review and Comment	☐ Resubmit
☐ Plans		☐ Submit
☐ Samples	SENT VIA:	☐ Returned
☐ Specifications	☐ Attached	☐ Returned for Corrections
☒ Other: Product Data	☐ Separate Cover Via:	☐ Due Date:

Item	Package	Code	Rev.	Copies	Date	Description	Status
Submittal		321400-002	1		12/06/2016	Green Roof Pavers Product Data	Submitted

NOTES:

CC:

Signed: _____
Devin Gates