

SCHEDULE 10 STEEL PIPE

The Schedule 10 ferrous steel piping, black or galvanized, used on this project shall meet or exceed one of the following NFPA 13 (2007 Edition) standards found in Section 6.3, Aboveground Pipe and Tube:

1. ASTM A795 -- Specification for Black and Hot-Dipped Zinc-Coated (Galvanized) Welded and Seamless Steel Pipe for Fire Protection Use.
2. ANSI/ASTM A53 -- Specification for Pipe, Steel, Black and Hot-Dipped, Zinc-Coated, Welded and Seamless.
3. ASTM A135 -- Specification for Electric Resistance -- Welded Steel Pipe.

The following is a list of ferrous piping Manufacturers that Ahern Fire Protection may use on this project. This list also indicates the ASTM conformance standard(s) as well as the current UL Listing (VIZY-2005) and/or FM Approval (STEEL PIPE-2006) for each brand of pipe.

Allied Tube and Conduit Corp.

- UL Listed Sizes 1-1/4" through 8"
- FM Approved Sizes 1-1/4" through 8"
- ASTM A135 & ASTM A123

Wheatland Tube Co.

- UL Listed Sizes 1-1/4" through 4" (*black only*)
- FM Approved Sizes 1-1/4" through 8" (*black only*)
- ASTM A135 & ASTM A795

Bull Moose Tube Co.

- UL Listed Sizes 1" through 4"
- FM Approved Sizes 3/4" through 4"
- ASTM A135, ASTM A795, & ASTM A53

Youngstown Tube Company

- UL Listed Sizes 1-1/4" through 8"
- FM Approved Sizes 1-1/4" through 6" (*black only*)
- ASTM A795 Type E, Grade A, NH standards

Nominal	Minimum I.D.
1	1.097
1.25	1.442
1.5	1.682
2	2.157
2.5	2.635
3	3.26
4	4.26
5	5.295
6	6.357
8	8.249

If necessary, the Manufacturer's Technical Data Sheets for each of these products can be obtained from Ahern Fire Protection. Please contact the Ahern Fire Protection District office indicated on the cover of this submittal package.

Fire Protection Equipment Submittal

Webster University Interdisciplinary Science Bldg.

8274 Big Bend
Webster Groves, MO 63119



FIRE PROTECTION EQUIPMENT DATA

J. F. AHERN CO.

2675 SCOTT AVE. SUITE C

ST. LOUIS, MO 63103

T: 314.535.4544

F: 314.535.0144

NAME OF PROJECT: **Webster University Interdisciplinary Science Building
8274 Big Bend Blvd.
Webster Groves, MO 63119**

AHERN PROJECT NO.: **461259**

SPECIFICATION NO.:

SUBMITTAL NO.:

STAMP

Prepared By:

Dana Mitchell

Dana Mitchell,
Senior Designer